

| <b>CGHS DELHI 2010 RATES</b>                                      |   |  |   |
|---|---|--|---|
| <b>AND EMPANELLED DIAGNOSTIC LABORATORIES AND IMAGING CENTRES</b> |   |  |   |
| <b>S.No.</b>  | <b>NAME OF INVESTIGATION</b>  | <b>For Delhi NABL Accredited<br/>in Rupees</b> | <b>For Delhi Non<br/>NABL in<br/>Rupees</b> |
|   | <b>DENTAL</b>   |  |   |
| 1   | Dental IOPA X-ray   | 70   | 60  |
| 2   | Occlusal X-ray  | 80   | 68  |
| 3   | OPG X-ray   | 200  | 170   |
|   | <b>PULMONARY</b>  |  | -   |
| 4   | Lung Ventilation & Perfusion Scan (V/Q Scan)                            | 5,000  | 4,250                                       |
| 5   | Lung Perfusion Scan   | 3,000  | 2,550                                       |
|   | <b>OSTEOLOGY</b>  |  | -   |
| 6   | Whole Body Bone Scan with SPECT.  | 3,500  | 2,975                                       |
| 7   | Three phase whole body Bone Scan  | 3,500  | 2,975                                       |
|   | <b>NEUROSCIENCES</b>  |  | -   |
| 8   | Brain Perfusion SPECT Scan with Technetium 99m radiopharmaceuticals.    | 10,000   | 8,500                                       |
| 9   | Radionuclide Cisternography for CSF leak                                | 5,000  | 4,250                                       |
|   | <b>GASTRO AND HEPATOBIILIARY</b>  |  | -   |
| 10  | Gastro esophageal Reflux Study (G.E.R. Study)                           | 2,000  | 1,700                                       |
| 11  | Gastro intestinal Bleed (GloB.) Study with Technetium 99m labeled RBCs. | 3,500  | 2,975                                       |
| 12  | Hepatobiliary Scintigraphy.   | 2,500  | 2,125                                       |
| 13  | Meckel's Scan   | 2,000  | 1,700                                       |
| 14  | Hepatosplenic scintigraphy with Technetium-99m radiopharmaceuticals     | 2,500  | 2,125                                       |
| 15  | Gastric emptying  | 1,500  | 1,275                                       |
|   | <b>GENITOURINARY</b>  |  | -   |
| 16  | Renal Cortical Scintigraphy with Technetium 99m D.M.S.A.                | 3,500  | 2,975                                       |
| 17  | Dynamic Renography.   | 3,500  | 2,975                                       |
| 18  | Dynamic Renography with Diuretic.                                       | 3,500  | 2,975                                       |
| 19  | Dynamic Renography with Captopril                                       | 4,500  | 3,825                                       |
| 20  | Testicular Scan   | 1,500  | 1,275                                       |
|   | <b>ENDOCRINOLOGY</b>  |  | -   |
| 21  | Thyroid Uptake measurements with 131-Iodine.                            | 1,600  | 1,360                                       |
| 22  | Thyroid Scan with Technetium 99m Perchnetate.                           | 1,500  | 1,275                                       |
| 23  | Iodine-131 Whole Body Scan.   | 3,000  | 2,550                                       |
| 24  | Whole Body Scan with M.I.B.G.   | 18,000   | 15,300                                      |
| 25  | Parathyroid Scan  | 5,000  | 4,250                                       |
|   | <b>RADIO-ISOTOPE THERAPY</b>  |  | -   |
| 26  | 131-Iodine Therapy  | Listed under Treatment                         |   |
| 27  | 131-Iodine Therapy <15mCi   | Listed under Treatment                         |   |
| 28  | 131-Iodine Therapy 15-50mCi   | Listed under Treatment                         |   |
| 29  | 131-Iodine Therapy 51-100mCi  | Listed under Treatment                         |   |
| 30  | 131-Iodine Therapy >100mCi  | Listed under Treatment                         |   |
| 31  | Phosphorus-32 therapy for metastatic bone pain palliation               | Listed under Treatment                         |   |
| 32  | Samarium-153 therapy for metastatic bone pain palliation                | Listed under Treatment                         |   |
| 33  | Radiosynovectomy with Yttrium   | Listed under Treatment                         |   |
|   | <b>CARDIOLOGY</b>   |  | -   |
| 34  | Stress thallium / Myocardial Perfusion Scintigraphy                     | 9,900  | 8,415                                       |
| 35  | Rest thallium / Myocardial Perfusion Scintigraphy                       | 9,900  | 8,415                                       |
| 36  | Venography  | 3,500  | 2,975                                       |
| 37  | ECG   | 50   | 43  |

|    |  | Listed under Treatment |        |
|----|--|------------------------|--------|
| 38 | STRESS ECHO- DOBUTAMINE  |                        |        |
| 39 | STRESS ECHO- EXERCISE  | 1,650                  | 1,403  |
| 40 | TMT  | 500                    | 425    |
| 41 | TEE  | 500                    | 425    |
| 42 | Lymph angiography  | 1,650                  | 1,403  |
|    | <b>TUMOUR IMAGING</b>  |                        | -      |
| 43 | Scintimammography.   | 5,000                  | 4,250  |
| 44 | Indium labeled octeriotide Scan.                                       | 75,000                 | 63,750 |
|    | <b>PET SCAN</b>  |                        | -      |
| 45 | FDG Whole body PET / CT Scan   | 21,000                 | 17,850 |
| 46 | Brain I Heart FDG PET / CTScan,  | 15,000                 | 12,750 |
| 47 | Gallium-68 Peptide PET / CT imaging for Neuroendocrine Tumor           | 17,000                 | 14,450 |
| 48 | Non-FDG PET / CT Scan  | -                      | -      |
|    | <b>Laboratory Medicine</b>   |                        | -      |
|    | <b>Clinical Pathology</b>  |                        | -      |
| 49 | Urine routine- pH,Specific gravity,sugar,protein and microscopy        | 39                     | 33     |
| 50 | 24 hrs urine for Proteins,Sodium,creatinine                            | 100                    | 85     |
| 51 | Urine-Microalbumin   | 150                    | 128    |
| 52 | Quantitative Albumin/Sugar   | 24                     | 20     |
| 53 | Urine Bile Pigment and Salt  | 35                     | 30     |
| 54 | Urine Urobilinogen   | 35                     | 30     |
| 55 | Urine Ketones  | 35                     | 30     |
| 56 | Urine Occult Blood   | 35                     | 30     |
| 57 | Urine total proteins   | 21                     | 18     |
| 58 | Bence Jones protein  | 48                     | 41     |
| 59 | Stool routine  | 39                     | 33     |
| 60 | Stool occult blood   | 35                     | 30     |
| 61 | Post coital smear examination  | 100                    | 85     |
| 62 | semen analysis   | 80                     | 68     |
| 63 | Body fluid (CSF/Ascitic Fluid etc.)Sugar, Protein etc.                 | 100                    | 85     |
| 64 | Albumin.   | 21                     | 18     |
| 65 | Creatinine clearance.  | 160                    | 136    |
|    | <b>Haematology</b>   |                        | -      |
| 66 | Haemoglobin (Hb)   | 19                     | 16     |
| 67 | Total Leucocytic Count (TLC)   | 32                     | 27     |
| 68 | Differential Leucocytic Count (DLC)                                    | 32                     | 27     |
| 69 | E.S.R.   | 35                     | 30     |
| 70 | Total Red Cell count with MCV,MCH,MCHC,DRW                             | 35                     | 30     |
| 71 | Complete Haemogram -Hb,RBC count and indices, TLC, DLC, Platelet, ESR, | 138                    | 117    |
| 72 | Platelet count   | 50                     | 42     |
| 73 | Reticulocyte count   | 49                     | 42     |
| 74 | Absolute Eosinophil count  | 50                     | 42     |
| 75 | Packed Cell Volume (PCV)   | 35                     | 30     |
| 76 | Peripheral Smear Examination   | 44                     | 37     |
| 77 | Smear for Malaria parasite   | 42                     | 36     |
| 78 | Bleeding & Clotting Time   | 48                     | 41     |
| 79 | Clot Retraction Time   | 35                     | 30     |
| 80 | R.B.C. Fragility Test  | 60                     | 51     |
| 81 | L.E. Cell  | 77                     | 65     |
| 82 | Foetal Haemoglobin (Hb-F)  | 154                    | 131    |
| 83 | Prothrombin Time (P.T.)  | 119                    | 101    |
| 84 | Bone Marrow Smear Examination  | 75                     | 64     |

|     |   |       |       |
|-----|---|-------|-------|
| 85  | Bone Marrow Smear Examination with iron stain                     | 256   | 218   |
| 86  | Bone Marrow Smear Examination and cytochemistry where required.   | 665   | 565   |
| 87  | Partial Thromboplastin  | 105   | 89    |
| 88  | Glucose Phosphate Dehydrogenase (G, 6PD)                          | 250   | 213   |
| 89  | Rapid test for malaria(card test)                                 | 44    | 37    |
| 90  | WBC cytochemistry for leukemia -Complete panel                    | 890   | 757   |
| 91  | Bleeding Disorder panel-BT,CT,Platetlet count,APTT,extended & Dic | 700   | 595   |
| 92  | Factro Assays-Factor VIII   | 750   | 638   |
| 93  | Factor Assays-Factor IX   | 700   | 595   |
| 94  | Factro Assays-other Factors                                       | 2,763 | 2,348 |
|     | <b>Anti Cardiolipin Antibodies.</b>                               |       | -     |
| 95  | IgG.  | 260   | 221   |
| 96  | IgM.  | 260   | 221   |
| 97  | IgA.  | 260   | 221   |
|     | <b>Anti Phospholipid Antibodies.</b>                              |       | -     |
| 98  | IgG.  | 260   | 221   |
| 99  | IgM.  | 260   | 221   |
| 100 | IgA.  | 260   | 221   |
| 101 | Thalessemia studies   | 700   | 595   |
| 102 | Hb Electrophoresis  | 455   | 387   |
| 103 | Sickling studies  | 77    | 65    |
|     | <b>Nutritional Markers</b>  |       | -     |
| 104 | Serum Iron  | 100   | 85    |
| 105 | Total Iron Binding Capacity                                       | 100   | 85    |
| 106 | Vitamin B.12.   | 256   | 218   |
| 107 | Folic Acid.   | 350   | 298   |
| 108 | HDL Cholestrol  | 100   | 85    |
|     | <b>Blood Bank</b>   |       |       |
| 109 | Blood Group & RHO Type  | 33    | 28    |
| 110 | Cross match   | 60    | 51    |
| 111 | Packed cell preparation   | 40    | 34    |
| 112 | Coomb's Test Direct   | 100   | 85    |
| 113 | Coomb's Test Indirect   | 119   | 101   |
| 114 | Australia Antigen   | 120   | 102   |
| 115 | RHO, Antibody titer   | 119   | 101   |
| 116 | Blood Components-PRO  | 2,800 | 2,380 |
| 117 | Blood Components -Fresh Frozen Plasma                             | 3,800 | 3,230 |
| 118 | Blood Components-Cryoprecipitate                                  | 488   | 414   |
|     | <b>Histopathology</b>   |       |       |
| 119 | Routine-H & E   | 100   | 85    |
| 120 | special stain   | 100   | 85    |
| 121 | Immunohistochemistry(IHC)   | 878   | 746   |
| 122 | Frozen section  | 1,500 | 1,275 |
| 123 | Paraffin section  | 350   | 298   |
|     | <b>Cytology</b>   |       |       |
| 124 | Pap Smear   | 160   | 136   |
| 125 | Vaginal Cytology for Hormonal evaluation                          | 160   | 136   |
| 126 | Body fluid for Malignant cells                                    | 200   | 170   |
| 127 | FNAC  | 250   | 213   |
| 128 | special stain on cytology   | 90    | 77    |
|     | <b>Flow cytometry</b>   |       | -     |
| 129 | Leukemia panel /Lymphoma panel                                    | 3,575 | 3,039 |

|     |  |       |       |
|-----|--|-------|-------|
| 130 | CD Count: CD3,CD4,CD8  | 1,000 | 850   |
| 131 | PNH Panel-CD55,CD59  | 1,450 | 1,233 |
|     | <b>Cytogenetics</b>  |       | -     |
| 132 | karyotyping  | 2,200 | 1,870 |
|     | <b>Tumour markers.</b>   |       | -     |
| 133 | PSA- Total.  | 319   | 271   |
| 134 | PSA- Free.   | 450   | 383   |
| 135 | AFP.   | 345   | 293   |
| 136 | HCG.   | 340   | 289   |
| 137 | CA. 125.   | 400   | 340   |
| 138 | CA 19,9.   | 630   | 536   |
| 139 | CA 5,3.  | 630   | 536   |
| 140 | Carcioembryonic antigen(CEA)   | 350   | 298   |
|     | <b>Bio-Chemistry</b>   |       | -     |
| 141 | Blood Glucose Random   | 25    | 21    |
| 142 | Blood Urea Nitrogen  | 55    | 47    |
| 143 | Serum Creatinine   | 56    | 48    |
| 144 | Serum Uric Acid  | 56    | 48    |
| 145 | Serum Bilirubin total & direct   | -     | -     |
| 146 | Serum Iron   | 100   | 85    |
| 147 | Serum Cholesterol  | 63    | 54    |
| 148 | Total Iron Binding Capacity  | 100   | 85    |
| 149 | Glucose (Fasting & PP)   | 48    | 41    |
| 150 | Serum Calcium -Total   | 63    | 54    |
| 151 | Serum Calcium -Ionic   | 45    | 38    |
| 152 | Serum Phosphorus   | 66    | 56    |
| 153 | Total Protein Alb/Glo Ratio  | 70    | 60    |
| 154 | S.G.P.T.   | 56    | 48    |
| 155 | S.G.O.T.   | 56    | 48    |
| 156 | Serum amylase  | 120   | 102   |
| 157 | Serum Electrolyte  | 140   | 119   |
| 158 | Triglyceride   | 95    | 81    |
| 159 | Glucose Tolerance Test (GTT)   | 100   | 85    |
| 160 | C.P.K.   | 105   | 89    |
| 161 | L.D.H.   | 132   | 112   |
| 162 | Alkaline Phosphatase   | 63    | 54    |
| 163 | Acid Phosphatase   | 80    | 68    |
| 164 | CK MB  | 196   | 167   |
| 165 | Lithium.   | 140   | 119   |
| 166 | Dilantin (phenytoin).  | 439   | 373   |
| 167 | Carbamazepine.   | 439   | 373   |
| 168 | Valproic acid.   | 315   | 268   |
| 169 | Feritin.   | 315   | 268   |
| 170 | Blood gas analysis   | 470   | 400   |
| 171 | Blood gas analysis with electrolytes   | 151   | 129   |
| 172 | Urine pregnancy test   | 69    | 58    |
| 173 | Hb A1 C  | 165   | 140   |
| 174 | Kidney Function Test.  | 261   | 222   |
| 175 | Liver Function Test.   | 275   | 234   |
| 176 | Lipid Profile.( Total cholesterol,LDL,HDL,treiglycerides)                    | 215   | 182   |
| 177 | Extended Lipid Profile.( Total cholesterol,LDL,HDL,treiglycerides,Apo A1,Apo | 700   | 595   |
| 178 | Apo A1.  | 203   | 173   |

|     |  |       |       |
|-----|--|-------|-------|
| 179 | Apo B.   | 203   | 173   |
| 180 | Lp (a).  | 455   | 387   |
| 181 | LDL.   | 63    | 54    |
| 182 | Homocysteine.  | 455   | 387   |
| 183 | HB Electrophoresis.                                    | 450   | 383   |
| 184 | Serum Electrophoresis.                                 | 300   | 255   |
| 185 | Fibrinogen.  | 400   | 340   |
| 186 | Chloride.  | 66    | 56    |
| 187 | Magnesium.   | 154   | 131   |
| 188 | GGTP.  | 100   | 85    |
| 189 | Lipase.  | 245   | 208   |
| 190 | Fructosamine.  | 224   | 190   |
| 191 | $\beta$ 2 microglobulin                                | 100   | 85    |
| 192 | Albumin.   | 21    | 18    |
| 193 | Catecholamines.  | 1,400 | 1,190 |
| 194 | Creatinine clearance.                                  | 160   | 136   |
|     | <b>Harmones</b>  |       | -     |
| 195 | T3, T4, TSH  | 213   | 181   |
| 196 | T3   | 75    | 64    |
| 197 | T4   | 75    | 64    |
| 198 | TSH  | 125   | 106   |
| 199 | LH   | 188   | 159   |
| 200 | FSH  | 188   | 159   |
| 201 | Prolactin  | 188   | 159   |
| 202 | Cortisol   | 266   | 226   |
| 203 | Enteropoetin   | 693   | 589   |
| 204 | PTH(Paratharmone)                                      | 618   | 525   |
| 205 | Calcitonin   | 840   | 714   |
| 206 | C-Peptide.   | 400   | 340   |
| 207 | Insulin.   | 325   | 276   |
| 208 | Progesterone.  | 266   | 226   |
| 209 | 17-DH Progesterone.                                    | 450   | 383   |
| 210 | DHEAS.   | 450   | 383   |
| 211 | Androstendione.  | 770   | 655   |
| 212 | Growth Hormone.  | 350   | 298   |
| 213 | TPO.   | 385   | 327   |
| 214 | Throglobulin.  | 400   | 340   |
|     | <b>Microbiology &amp; Serology</b>                     |       |       |
| 215 | Smear gram-strain examination                          | 48    | 41    |
| 216 | Sputum smear A.F.B. stain                              | 56    | 48    |
| 217 | Vaginal Smear Examination                              | 80    | 68    |
| 218 | Direct smear and stain examination for cryptosporidium | 100   | 85    |
| 219 | Direct smear and stain examination for P.Carcinei      | 100   | 85    |
| 220 | LCB Count for mycology                                 | 150   | 128   |
| 221 | LCB Count for others                                   | 300   | 255   |
| 222 | V.D.R.L.   | 50    | 42    |
| 223 | TPHA test  | 210   | 179   |
| 224 | Widal test   | 70    | 60    |
| 225 | Rheumatoid Factor test                                 | 105   | 89    |
| 226 | Culture & Sensitivity -bacterial                       | 100   | 85    |
| 227 | Culture & Sensitivity -Mycobacterial                   | 200   | 170   |
| 228 | Culture & Sensitivity -mycology                        | 200   | 170   |

|     |                                       |     |     |
|-----|---------------------------------------|-----|-----|
| 229 | C.R.P.                                | 120 | 102 |
| 230 | C.R.P Quantative                      | 200 | 170 |
| 231 | ASO Titer                             | 143 | 122 |
| 232 | Quantitative H.C.G.                   | 80  | 68  |
| 233 | Blood culture & sensitivity- manual   | 160 | 136 |
| 234 | Blood culture & sensitivity-automated | 300 | 255 |
| 235 | Vibro cholera culture                 | 300 | 255 |
| 236 | Rapid Blood Culture.                  | 468 | 397 |
| 237 | Rapid AFB Culture.                    | 420 | 357 |
| 238 | C.3.                                  | 250 | 213 |
| 239 | C.4.                                  | 250 | 213 |
| 240 | IgG.                                  | 260 | 221 |
| 241 | IgM.                                  | 260 | 221 |
| 242 | IgA.                                  | 260 | 221 |
| 243 | ANA.                                  | 320 | 272 |
| 244 | Ds DNA.                               | 385 | 327 |
| 245 | P ANCA.                               | 800 | 680 |
| 246 | C ANCA.                               | 770 | 655 |
|     | <b>Infectuou disease serology</b>     |     | -   |
| 247 | HAV.                                  | 553 | 470 |
| 248 | HbSAg – Elisa.                        | 147 | 125 |
| 249 | Anti HBS.                             | 300 | 255 |
| 250 | Anti HBC Total.                       | 490 | 417 |
| 251 | Anti HBC IgM.                         | 488 | 414 |
| 252 | HbeAg.                                | 423 | 359 |
| 253 | Anti Hbe.                             | 450 | 383 |
| 254 | Anti- HCV.                            | 400 | 340 |
| 255 | Anti- HEV.                            | 618 | 525 |
| 256 | Triple Marker.                        | 900 | 765 |
|     | <b>TORCH.</b>                         |     | -   |
| 257 | IgG.                                  | 260 | 221 |
| 258 | IgM.                                  | 260 | 221 |
|     | <b>Toxoplasmosis.</b>                 |     | -   |
| 259 | IgG.                                  | 260 | 221 |
| 260 | IgM.                                  | 260 | 221 |
|     | <b>CMV(Cytomegalo virus).</b>         |     | -   |
| 261 | IgG.                                  | 260 | 221 |
| 262 | IgM.                                  | 260 | 221 |
|     | <b>HSV.</b>                           |     | -   |
| 263 | IgG.                                  | 260 | 221 |
| 264 | IgM.                                  | 260 | 221 |
| 265 | IgE.                                  | 400 | 340 |
|     | <b>Tuberculosis</b>                   |     | -   |
| 266 | TB IgG.                               | 280 | 238 |
| 267 | TB IgM.                               | 280 | 238 |
| 268 | TB IgA.                               | 280 | 238 |
|     | <b>Rubella</b>                        |     | -   |
| 269 | Ig G                                  | 200 | 170 |
| 270 | Ig M                                  | 200 | 170 |
| 271 | Ig A                                  | 250 | 213 |
| 272 | Dengue Serology.                      | 600 | 510 |
| 273 | Cysticercosis.                        | 500 | 425 |

|     |  |                               |       |
|-----|--|-------------------------------|-------|
| 274 | Hydatic Serology.  | 374                           | 318   |
| 275 | Anti Sperm Antibodies.                                     | 406                           | 345   |
|     | <b>HBV DNA.</b>  |                               | -     |
| 276 | Qualitative.   | 2,340                         | 1,989 |
| 277 | Quantitative.  | 1,600                         | 1,360 |
|     | <b>HCV RNA.</b>  |                               | -     |
| 278 | Qualitative.   | 2,340                         | 1,989 |
| 279 | HPV serology   |                               | -     |
| 280 | Rota Virus serology  | 163                           | 138   |
| 281 | PCR for TB   | 975                           | 829   |
| 282 | PCR for HIV  | 630                           | 536   |
| 283 | Chlamydae antigen  | 900                           | 765   |
| 284 | chlamydae antibody   | 280                           | 238   |
| 285 | Brucella serology  | 245                           | 208   |
| 286 | Influenza A serology                                       | 943                           | 801   |
|     | <b>USG, X-ray , CT, MRI, Bone Densitometry</b>             |                               | -     |
| 287 | USG for Obstetrics - Anomalies scan                        | 380                           | 323   |
| 288 | Abdomen USG  | 300                           | 255   |
| 289 | Pelvic USG ( prostate, gynae, infertility etc)             | 300                           | 255   |
| 290 | Small parts USG ( scrotum, thyroid , parathyroid etc)      | 410                           | 349   |
| 291 | Neonatal head (Tranfontanellar)                            | 500                           | 425   |
| 292 | Neonatal spine   | 500                           | 425   |
| 293 | Contrast enhanced USG                                      | 1,000                         | 850   |
| 294 | USG Breast   | 410                           | 349   |
| 295 | USG Hystero-Salpaingography (HSG)                          | 300                           | 255   |
| 296 | Colour Doppler , Carotid artery                            | 1,000                         | 850   |
| 297 | Colour Doppler, Peripheral Artery/Veins                    | 830                           | 706   |
| 298 | Colour doppler, renal arteries/any other organ             | 1,000                         | 850   |
| 299 | USG guided intervention-aspiration                         | 500                           | 425   |
| 300 | USG guided intervention- FNAC                              | 700                           | 595   |
| 301 | USG guided intervention - biopsy                           | <b>Listed under Treatment</b> |       |
| 302 | USG guided intervention - nephrostomy                      | 875                           | 744   |
|     | <b>X-Ray</b>   |                               | -     |
| 303 | Abdomen AP Supine or Erect (One film)                      | 150                           | 128   |
| 304 | Abdomen Lateral view (one film)                            | 150                           | 128   |
| 305 | Pelvimetry   | 150                           | 128   |
| 306 | Chest PA view (one film)                                   | 70                            | 60    |
| 307 | Chest Lateral (one film)                                   | 70                            | 60    |
| 308 | Mastoids: Towne view, oblique views (3 films)              | 300                           | 255   |
| 309 | Extremities, bones & Joints AP & Lateral views (Two films) | 300                           | 255   |
| 310 | Pelvis A.P (one film)                                      | 150                           | 128   |
| 311 | T. M. Joints (one film)                                    | 150                           | 128   |
| 312 | Abdomen & Pelvis for K. U. B.                              | 150                           | 128   |
| 313 | Skull A. P. & Lateral (2 films)                            | 300                           | 255   |
| 314 | Spine A. P. & Lateral (2 films)                            | 300                           | 255   |
| 315 | PNS view (1 film)  | 150                           | 128   |
|     | <b>X ray Contrast studies</b>                              |                               | -     |
| 316 | Barium Swallow   | 600                           | 510   |
| 317 | Barium Upper GI study                                      | 1,000                         | 850   |
| 318 | Barium Upper GI study (Double contrast)                    | 1,100                         | 935   |
| 319 | Barium Meal follow through                                 | 1,100                         | 935   |
| 320 | Barium Enema (Single contrast/double contrast)             | 1,000                         | 850   |

|     |  |        |        |
|-----|--|--------|--------|
| 321 | Small bowel enteroclysis   | 1,200  | 1,020  |
| 322 | ERCP (Endoscopic Retrograde Cholangio – Pancreatography)                   | 6,010  | 5,109  |
| 323 | General :Fistulography /Sinography/Sialography/Dacrocystography/ T-Tube    | 750    | 638    |
| 324 | Percutaneous transhepatic cholangiography (PTC)                            | 1,500  | 1,275  |
| 325 | Intravenous Pyelography (IVP)  | 1,400  | 1,190  |
| 326 | Micturating Cystourethrography (MCU)                                       | 800    | 680    |
| 327 | Retrograde Urethrography (RGU)   | 800    | 680    |
| 328 | Contrast Hystero-Salpingography (HSG)                                      | 1,200  | 1,020  |
| 329 | X ray - Arthrography   | 2,400  | 2,040  |
| 330 | Cephalography  | 150    | 128    |
| 331 | Myelography  | 3,500  | 2,975  |
| 332 | Digital Subtraction Angiography (DSA) – Cerebral arteries                  | 22,000 | 18,700 |
| 333 | Digital Subtraction Angiography (DSA) – Peripheral Artery/arteries         | 9,000  | 7,650  |
| 334 | Digital Subtraction Angiography (DSA) - abdomen                            | -      | -      |
| 335 | Digital Subtraction Angiography (DSA) - chest                              | -      | -      |
|     | <b>Mammography</b>   |        | -      |
| 336 | X-ray Mammography  | 500    | 425    |
| 337 | Ultrasound Mammography   | 500    | 425    |
| 338 | MRI Mammography  | 3,000  | 2,550  |
|     | <b>CT</b>  |        | -      |
| 339 | CT Head-Without Contrast   | 1,050  | 893    |
| 340 | CT Head- with Contrast (+/- CT angiography)                                | 1,350  | 1,148  |
| 341 | C. T. Chest - without contrast (for lungs)                                 | 2,000  | 1,700  |
| 342 | C. T. Chest - with contrast (+/- CT angiography)                           | 2,500  | 2,125  |
| 343 | C. T. Scan Upper Abdomen Without Contrast                                  | 1,700  | 1,445  |
| 344 | C. T. Scan Upper Abdomen With Contrast                                     | 2,400  | 2,040  |
| 345 | C. T. Scan Lower Abdomen Without Contrast                                  | 1,700  | 1,445  |
| 346 | C. T. Scan lower Abdomen With Contrast                                     | 2,400  | 2,040  |
| 347 | C. T. Scan Whole Abdomen Without Contrast                                  | 3,300  | 2,805  |
| 348 | C. T. Scan Whole Abdomen With Contrast                                     | 4,500  | 3,825  |
| 349 | CT angiography abdomen   | 5,000  | 4,250  |
| 350 | CT enteroclysis  | 7,500  | 6,375  |
| 351 | C. T. Scan Neck (Thyroid, parathyroid, Soft Tissues) – Without Contrast    | 1,800  | 1,530  |
| 352 | C. T. Scan Neck – With Contrast  | 2,200  | 1,870  |
| 353 | C. T. Scan Orbits - Without Contrast                                       | 1,400  | 1,190  |
| 354 | C. T. Scan Orbits - With Contrast  | 1,900  | 1,615  |
| 355 | C. T. Scan of Para Nasal Sinuses- Without Contrast                         | 1,250  | 1,063  |
| 356 | C. T. Scan of Para Nasal Sinuses - With Contrast                           | 2,100  | 1,785  |
| 357 | C. T. Spine (Cervical, Dorsal, Lumbar, Sacral)–without contrast            | 1,750  | 1,488  |
| 358 | CT Temporal bone – without contrast  | 1,050  | 893    |
| 359 | CT - Dental  | 1,500  | 1,275  |
| 360 | C. T. Scan Limbs -Without Contrast   | 2,000  | 1,700  |
| 361 | C. T. Scan Limbs -With Contrast including CT angiography                   | 2,650  | 2,253  |
| 362 | C.T. Guided intervention – Biopsy /FNAC                                    | 1,500  | 1,275  |
| 363 | C. T. Guided intervention -percutaneous catheter drainage / tube placement | 1,535  | 1,305  |
|     | <b>MRI</b>   |        | -      |
| 364 | MRI Head – Without Contrast  | 2,350  | 1,998  |
| 365 | MRI Head – With Contrast   | 3,350  | 2,848  |
| 366 | MRI Orbits – Without Contrast  | 1,700  | 1,445  |
| 367 | MRI Orbits – With Contrast   | 5,000  | 4,250  |
| 368 | MRI Nasopharynx and PNS – Without Contrast                                 | 2,500  | 2,125  |
| 369 | MRI Nasopharynx and PNS – With Contrast                                    | 5,000  | 4,250  |



|     |  |       |       |
|-----|--|-------|-------|
| 370 | MRI Neck - Without Contrast                              | 2,400 | 2,040 |
| 371 | MRI Neck- with contrast                                  | 5,000 | 4,250 |
| 372 | MRI Shoulder – With contrast                             | 2,500 | 2,125 |
| 373 | MRI Shoulder – Without contrast                          | 3,000 | 2,550 |
| 374 | MRI shoulder both Joints - Without contrast              | 2,500 | 2,125 |
| 375 | MRI Shoulder both joints – With contrast                 | 5,000 | 4,250 |
| 376 | MRI Wrist Single joint - Without contrast                | 2,500 | 2,125 |
| 377 | MRI Wrist Single joint - With contrast                   | 5,000 | 4,250 |
| 378 | MRI Wrist both joints - Without contrast                 | 2,500 | 2,125 |
| 379 | MRI Wrist Both joints - With contrast                    | 5,000 | 4,250 |
| 380 | MRI knee Single joint - Without contrast                 | 2,500 | 2,125 |
| 381 | MRI knee Single joint - With contrast                    | 5,000 | 4,250 |
| 382 | MRI knee both joints - Without contrast                  | 2,500 | 2,125 |
| 383 | MRI knee both joints - With contrast                     | 5,000 | 4,250 |
| 384 | MRI Ankle Single joint - Without contrast                | 2,500 | 2,125 |
| 385 | MRI Ankle single joint - With contrast                   | 5,000 | 4,250 |
| 386 | MRI Ankle both joints - With contrast                    | 2,500 | 2,125 |
| 387 | MRI Ankle both joints - Without contrast                 | 3,000 | 2,550 |
| 388 | MRI Hip - With contrast                                  | 2,500 | 2,125 |
| 389 | MRI Hip – without contrast                               | 3,000 | 2,550 |
| 390 | MRI Pelvis – Without Contrast                            | 2,500 | 2,125 |
| 391 | MRI Pelvis – with contrast                               | 5,000 | 4,250 |
| 392 | MRI Extremities - With contrast                          | 5,000 | 4,250 |
| 393 | MRI Extremities - Without contrast                       | 2,500 | 2,125 |
| 394 | MRI Temporomandibular - Single Joint - With contrast     | 5,000 | 4,250 |
| 395 | MRI Temporomandibular - Single Joint - Without contrast  | 2,500 | 2,125 |
| 396 | MRI Temporomandibular Double Joint - With contrast       | 5,000 | 4,250 |
| 397 | MRI Temporomandibular Double Joint - Without contrast    | 2,500 | 2,125 |
| 398 | MRI Abdomen – Without Contrast                           | 2,500 | 2,125 |
| 399 | MRI Abdomen – With Contrast                              | 5,000 | 4,250 |
| 400 | MRI Breast - With Contrast                               | 5,000 | 4,250 |
| 401 | MRI Breast - Without Contrast                            | 2,500 | 2,125 |
| 402 | MRI Spine Screening - Without Contrast                   | 1,000 | 850   |
| 403 | MRI Chest – Without Contrast                             | 2,500 | 2,125 |
| 404 | MRI Chest – With Contrast                                | 5,000 | 4,250 |
| 405 | MRI Cervical Spine – Without Contrast                    | 2,500 | 2,125 |
| 406 | MRI Cervical Spine – With Contrast                       | 5,000 | 4,250 |
| 407 | MRI Dorsal Spine - Without Contrast                      | 2,500 | 2,125 |
| 408 | MRI Dorsal Spine – With Contrast                         | 5,000 | 4,250 |
| 409 | MRI Lumbar Spine – Without Contrast                      | 2,500 | 2,125 |
| 410 | MRI Lumbar Spine – With Contrast                         | 5,000 | 4,250 |
| 411 | Whole body MRI (For oncological workup)                  | 6,000 | 5,100 |
| 412 | MRI Angiography – Without Contrast                       | 1,200 | 1,020 |
| 413 | MRI Angiography – With Contrast                          | 5,000 | 4,250 |
| 414 | MR cholecysto-pancreatography.                           | 2,500 | 2,125 |
| 415 | MR Enteroclysis  | 2,500 | 2,125 |
|     | <b>Bone Densitometry</b>                                 |       | -     |
| 416 | Bone Densitometry - Single Site                          | 1,000 | 850   |
| 417 | Bone Densitometry - Two sites                            | 1,800 | 1,530 |
| 418 | Bone Densitometry - Three sites (Spine, Hip & extremity) | 2,300 | 1,955 |
| 419 | Bone Densitometry Whole body                             | 2,950 | 2,508 |
|     | <b>NEUROLOGICAL INVESTIGATIONS AND PROCEDURES</b>        |       | -     |

|     |   |       |       |
|-----|---|-------|-------|
| 420 | EEG/Video EEG   | 350   | 298   |
| 421 | EMG (Electro myography)   | 750   | 638   |
| 422 | Nerve conduction velocity (at least 2 limbs)                                    | 750   | 638   |
| 423 | Decremental response (before and after neo stigmine)                            | 700   | 595   |
| 424 | Incremental response  | 700   | 595   |
| 425 | SSEP (Somato sensory evoked potentials)   | 750   | 638   |
| 426 | Poly somnography  | 750   | 638   |
| 427 | Brachial plexus study   | 750   | 638   |
| 428 | Muscle biopsy   | 450   | 383   |
| 429 | ACHR anti body titre  | 8,500 | 7,225 |
| 430 | Anti MUSK body titre  | 9,500 | 8,075 |
| 431 | Serum COPPER  | 600   | 510   |
| 432 | Serum ceruloplasmin   | 618   | 525   |
| 433 | Urinary copper  | 600   | 510   |
| 434 | Serum homocystine   | 455   | 387   |
| 435 | Serum valproate level   | 439   | 373   |
| 436 | Serum phenol barbitone level  | 390   | 332   |
| 437 | Coagulation profile   | 650   | 553   |
| 438 | Protein C, S anti thrombin – III  | 5,558 | 4,724 |
| 439 | Serum lactate level   | 540   | 459   |
|     | <b>CSF</b>  |       | -     |
| 440 | a. Basic studies including cell count, protein, sugar, gram stain, India Ink    | 240   | 204   |
| 441 | b. Special studies  | 1,200 | 1,020 |
| 442 | PCR for tuberculosis/ Herpes simplex  | 1,229 | 1,044 |
| 443 | Bacterial culture and sensitivity   | 200   | 170   |
| 444 | Mycobacterial culture and sensitivity   | 200   | 170   |
| 445 | Fungal culture  | 150   | 128   |
| 446 | Malignant cells   | 75    | 64    |
| 447 | Anti measles antibody titre (with serum antibody titre)                         | 1,230 | 1,046 |
| 448 | Viral culture   | 300   | 255   |
| 449 | Antibody titre (Herpes simplex, cytomegalo virus, flavivirus, zoster varicella) | 2,275 | 1,934 |
| 450 | Oligoclonal band  | 1,500 | 1,275 |
| 451 | Myelin Basic protein  | 5,040 | 4,284 |
| 452 | Lactate   | 350   | 298   |
| 453 | Crypto coccal antigen   | 1,138 | 967   |
|     | <b>TESTS IN GASTRO-ENTEROLOGY</b>   |       | -     |
| 454 | a. D-xylase test  | 1,200 | 1,020 |
| 455 | b. Fecal fat test/ fecal chymotrypsin/ fecal elastase                           | 1,200 | 1,020 |
| 456 | c. Breath tests   | 1,500 | 1,275 |
| 457 | d. H pylori serology for celiac disease   | 550   | 468   |
| 458 | e. HBV genotyping   | 2,730 | 2,321 |
| 459 | f. HCV genotyping   | 5,450 | 4,633 |
|     | <b>Tests in Endocrinology ( in addition to those included under Hormones)</b>   |       | -     |
| 460 | Urinary VMA   | 1,500 | 1,275 |
| 461 | Urinary metanephrine/Normetanephrine  | 1,138 | 967   |
| 462 | Urinary free catecholamine  | 1,690 | 1,437 |
| 463 | Serum catecholamine   | 3,500 | 2,975 |
| 464 | Serum aldosterone   | 1,200 | 1,020 |
| 465 | 24 Hr urinary aldosterone   | 920   | 782   |
| 466 | Plasma renin activity   | 1,235 | 1,050 |
| 467 | Serum aldosterone/renin ratio   | 1,250 | 1,063 |
| 468 | Osmolality urine  | 150   | 128   |

|     |                               |       |       |
|-----|-------------------------------|-------|-------|
| 469 | Osmolality serum              | 150   | 128   |
| 470 | Urinary sodium                | 94    | 79    |
| 471 | Urinary Chloride              | 50    | 43    |
| 472 | Urinary potassium             | 94    | 79    |
| 473 | Urinary calcium               | 94    | 79    |
| 474 | Anti TPO ante body            | 400   | 340   |
| 475 | Thyroid binding globulin      | 600   | 510   |
| 476 | Serum cotisole                | 300   | 255   |
| 477 | 24 hr urinary free cotisole   | 400   | 340   |
| 478 | Islet cell antebody           | 1,015 | 863   |
| 479 | GAD antibody                  | 1,330 | 1,131 |
| 480 | Insulin associated antibody   | 449   | 381   |
| 481 | IGF-1                         | 2,015 | 1,713 |
| 482 | IGF-BP3                       | 1,788 | 1,519 |
| 483 | Sex hormone binding globulin  | 1,333 | 1,133 |
| 484 | USG guided FNAC thyroid gland | 455   | 387   |
| 485 | FT3                           | 125   | 106   |
| 486 | FT4                           | 125   | 106   |
| 487 | FT4/TSH                       | 100   | 85    |
| 488 | FT3/FT4/TSH                   | 300   | 255   |
| 489 | E2                            | 245   | 208   |
| 490 | Thyroglobulin antibody        | 700   | 595   |