C/48

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE: NEW DELHI - 110001

No F 6 / DFS / MS / 2025/ School/WZ/188

Dated: 24 02 2

00

FIRE SAFETY CERTIFICATE

Certified that the Govt. Co-ed Sarvodaya Vidyalaya (ID- 1411005) located at Kailash Enclave, Saraswati Vihar, Delhi-110034 comprised of 02 Blocks (New Block- Ground plus three upper floors) & Old Block (Ground plus First floor) were issued FSC by this dated F6/DFS/MS/School/WZ/2022/138 department vide No F6/DFS/MS/School/WZ/2021/622 dated 19/02/2021. The premises was re-inspected by the officer concerned of this department on 17.02.2025 in the presence of Sh. Tajender Singh (Principal), and observed that all the fire prevention and fire safety arrangements as provided in the premises found in good working condition. The premises have deemed complied with fire prevention & fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules, 2010 and that the building/ premise is fit for occupancy Group B Educational with effect from ...24. 0.2 20.25. for a period of three years, in accordance with the Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40, subject to compliance of the conditions under Rule 38 of the Delhi Fire Service Rules, 2010 printed below.

Issued on .24.0.2 .20.25...... at New Delhi, by

Director Ph. 011-23414000

Copy to: -

1. The Director, Education, Government of NCT of Delhi. Old Sect. Delhi-110054.

2. The Principal, Govt. Co-ed Sarvodaya Vidyalaya (ID- 1411005) located at Kailash Enclave, Saraswati Vihar, Delhi-110034.

Conditions for the validity of Fire Safety Certificate:

1. All the fire safety arrangement provided there-in shall be maintained in good working conditions at all times.

2. Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.

3. The trained fire fighting staff should be available round the clock.

4. Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.

5. This certificate cannot be treated in any case for regularizations of unauthorized construction.

6. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director of Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry".

7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

INSPECTION REPORT

1. Name & address of the building: Govt. Sarvodaya Co-ed Vidyalaya (ID-1411005) located at Kailash

Enclave, Saraswati Vihar, Delhi- 110034.

2. Type of Occupancy Educational

Building Comprised of : New Block- (Ground plus Three Upper Floors)

Old Block- (Ground and First Floor)

Type of Case Renewal

5. Details of Previous NOC : New Block- F6/DFS/MS/School/WZ/2022/138 Dated- 10/02/2022 &

Old Block- F6/DFS/MS/School/WZ/2021/622 Dated 19/08/2021

6. Fire Safety directives letter No : NBC Part IV & DOE Circular Dated 01/03/2011

7. Date of inspection 17/02/2025

8. Name of Inspecting Officer R.K.Sinha, ADO (BW)

9. Name and designation of officers

From the building side Sh. Tajender Singh (Principal)

10. Year of Construction : Old Block- 1998 &New Block- 2021-22

S.	11. Applicant's	andards on fire	E Mail ID dated				
No		nd fire safety U/R 33	NBC/BBL/	DOE	Provided at site	Remarks	
1.	Access to bu	ilding				MR/NMR	
	Road width		6 m		Provided	MD	
		width	4.5 m	_	Provided	MR MR	
	Widtl	n of internal road	NA NA		NA	NA NA	
2.		dth, Type & Arrangen	ent of Exits		NA .	NA	
	a. Number of	staircases					
	• Uppe	er Floors	New Block- 04 Old Block -02	ĺ	New Block- 04 & 01 Ram Old Block- 02	p MR	
	Base	ments	NA		NA NA	NA	
	b. Width of st	aircases	320 C S S C S C S C S C S C S C S C S C S		142	IVA	
	• Uppe	r Floor	1.50 m each New Block- Provided Old Block- 1.70 m & 1.40 m		MR(old case		
	Baser	nents	NA	Old D	NA	NA	
	c. Protection of	of exits			(4.16.36	INA	
	Rire c	heck door	NA		NA) TA	
		urization	NA NA		NA NA	NA	
			Old Block- N	TD		NA	
	terrace	inuous staircases to	New Block-		Old Block- NR New Block- 04	MR	
	e. Width of C	orridor	1.50 m		Provided	MR	
	f. Door Size	1-1	New Block-1.20 Old Block- 1 m	m &	Provided	MR	
	Compartment	ation	O TO DIOCK I'M				
	Fire che	eck door	NA		274		
		Em0 : 5:2042	NA NA		NA	NA	
		of electrical shafts			NA	NA	
	• Water (ting of shaft door	NA		NA	NA	
	• Fire Da		NA		NA	NA	
	Smoke Manage	mpers	NA		NA	NA	
	Baseme		NA		NA	NA	
	 Upper fl 	oors	Required	N	laturally Ventilated	MR	
	Fire Extinguishers						
	 Total nu 	mbers	40 Nos.		Provided		
	 Types 		ABC/ Co2 Type	+		MR	
	 IS marki 		Required	-	Provided	MR	
	First-Aid Hose	Reels	Required in New	Pleat-	Provided	MR	
L		mbers on each floor	New Block- 05	DIOCK	D		
	 Length o 	f hose reel hose	30 m		Provided	MR	
	 Nozzle d 	iameter	5 mm		Provided	MR	
					Provided	MR	
_	Automatic fire d	system					
-	Type of c	letectors	NA		MA		
	 Location 	of Main Panel	NA	-	NA	NA	
					NA	NA	

N-30

		N.J.	0	70			
	Y CD D1	NA	NA	NA S			
-	Location of Repeater Panel	NA NA	NA .	NA			
-	Alternate source of power	2000		NA			
1	Hooters' Location	NA	NA	NA			
	MOEFA	NA	NA	NA			
	Public Address System	NA	NA				
0.	Automatic Sprinkler System		NA	NA			
	Basement	NA	NA NA	NA			
Ì	Ground Floor	NA	NA NA	NA			
Ì	 Sprinkler above false ceiling 	NA	AMA				
	Internal Hydrants		271	NA			
11.	Size of riser/down-comer	NA	NA NA	NA			
	Number of hydrants per floor	NA	NA NA	NA			
	Hose Box	NA	INA				
12.	Yard Hydrants		NA	NA			
	Total number of hydrants	NA	NA NA	NA			
	Hose Box	NA	INA				
13.	Pumping Arrangements						
	Ground Level		NA	NA			
	 Discharge of main Pump 	NA NA	NA NA	NA			
	➤ Head of Main pump	NA	A. M.C. This	NT A			
		NA	NA	NA			
	Number of main pumps	NA NA	NA	NA			
	Jockey Pump out put	NA NA	NA	NA			
	> Jockey pump head	NA NA	NA	NA			
	> Standby Pump out put	NA NA	NA	NA			
	> Standby Pump Head	NA NA	NA	NA			
	➤ Auto Starting/Manual	137		NA			
	Stopping	NA	NA	NA.			
	Pump House Access						
	Required in New Block						
	Terrace level	1 4501	2 × 450 lpm	MR			
	Discharge of pump	New Block- 450 lpm	Provided	MR			
	➤ Head of the pump	40 m					
		Required	Provided	MR			
	> Power Supply	Required	Provided	MR			
	> Auto Starting of pump		New Block				
14.	Captive Water Storage for fire fighti	NA NA	NA	NA			
	Underground tank capacity	NA NA	NA	NA			
	> Draw-off connection	22,000	NA	NA			
	> Fire service inlet	NA	NA NA	NA			
	> Access to tank	NA NA		MR			
	Overhead Tank capacity	New Block- 10,000 ltr	Provided	MR			
15.	Exit Signage.	Required	Liovided				
15.	100 (100 (100 (100 (100 (100 (100 (100		10.				
16.	Provision of Lifts.						
1000	CT :A Chaf	NA	NA	NA			
	Pressurization of Lift Shaft	NA	NA	NA			
	Pressurization of Lift lobby	NA NA	NA	NA			
	 Communication In lift Car 	NA NA	NA	NA			
	 Fireman's Grounding Switch 		NA NA	NA			
	Lift Signage	NA	NA NA	NA			
	Standby power supply	NA	NA	INA.			
17.	Standby Power Fr						
18.	Refuge Area.						
10.	20.20	NA	NA	NA			
	> Total Area	NA NA	NA	NA			
	> Location						
19.	Fire Control Room						
	Detector System Panel	NA	NA	NA			
	Detector System I and	0/					

N

	• Flo	w Switch Panel	NA	NA	NA
	• PA	System Panel	NA	NA	NA NA
	• Ba	ttery backup	NA	NA	
	• Bu	Iding Floor Plans	NA	NA	NA
20.	Special Fi	e Protection System for	Required		NA
	Protection	of special Risks, if any:	1-22-2	Co2 type fire extinguisher near electrical panel	MR

The fire protection systems provided in the building were tested, checked and found functional at the time of inspection. Previously this department issued FSC to the old block vide letter no. F6/DFS/MS/School/WZ/2021/622 dated 19/02/2021 for a building comprised of six blocks, out of which 5 blocks of Ground floor only and 01 block of ground and first floor. Now the school management has given undertaking that 5 blocks of ground floor have been demolished blocks. Floatfield and they required FSC of old block for Ground and first floor only.

Note: Electrical panel and electric meter are not under the staircase.

Keeping in view of deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules, it is recommended to renew the Fire Safety F6/DFS/MS/School/WZ/2021/622 dated 19/02/2021 & F6/DFS/MS/School/WZ/2022/138 dated 10/02/2022 merged into one FSC under rule 37 of the Delhi Fire Service Rules, 2010.

Signature of Inspecting Officer Name: Rajeev Kumar Sinha Designation: ADO/B.W.

とかれるれ

c,

18/2/202s

19/21/2015

Director

ly (folio)

rur. Ft letta in proop for son

ion M

900(8)