

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



No. F6/DFS/MS/School/SZ/2025/ 482

Dated: 15 04 2025

FIRE SAFETY CERTIFICATE

Certified that the MCD Primary CO-Ed School, Fire Station, Ashram Chowk, New Delhi- 110014 (School ID- 1958030), comprised of Ground + 01 upper floor, was granted Fire Safety Certificate (FSC) by this department vide letter no. F6/DFS/MS/School/2022/SZ/61 dated 21.01.2022. The school building was re-inspected by Assistant Divisional Officer (M. Road) from this department on 09.04.2025 in the presence of Mrs. Bibha (In-charge) and found that the building/premises has deemed complied with the fire prevention and fire safety requirements in accordance with the circular no. 3298 to 3398 dated 01.03.2011 issued by the Directorate of Education and found that the building/premises (Ground + 01 upper floors) is fit for occupancy of Group B "Educational Building" (School) with effect from 15.04.2025... for a period of three years in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to conditions under Rule 38 of Delhi Fire Service Rules, 2010 printed below.

Issued on 15 04 2025 at New Delhi by.

Delhi Fire Service

Copy to:-.

1. The Dy. Director of Education, Education Department (MCD), Center Zone, Jal Vihar, Lajpat Nagar, New Delhi-110024.

2. The Principal, MCD Primary CO-ED School, Fire Station, Ashram Chowk, New Delhi-110014 (School ID-1958030).

Conditions for the validity of Fire Safety Certificate:-

- 1. The owner /occupier shall apply for renewal of this fire safety certificate to the Director in form J' [sub rule(1) of rule 37] along with a copy of this certificate, six months prior to its expiry
- 2. All the means of escape shall be kept free of all the type of obstruction all the time.
- 3. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 4. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- The clarification with regards electrical installation, ventilation, structure stability set back areas, occupancy and constructional deviation in building etc .may be got verified from the authorities concerned.
- 6. This Fire Safety Certificate cannot be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
- 7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in.

				ECTION REPORT		Ct. t' A	
	Na	ame	and address of the building:	MCD Primary CO-ED School, Fire Station, Asi			
				Chowk, New Delhi- 110014 (School ID- 1958030)			
	Вι	uildi	ing is comprised of	Ground + 01 upper floor. Educational Building (Group –B)			
	Ty	ype	of occupancy				
	Type of case:			Renewal			
	D	etai	ls of previous FSC:	F6/DFS/MS/School/2022/SZ/61 dated 21.01.2022			
	Fire safety directives no.:			F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated			
			•	01.03.2011 09.04.2025			
-	D	ate	of inspection:				
	Name of the inspecting officer: Name and designation of the officer from the building side:			ADO Rajesh Kumar Shukla (M. Road) Mrs. Bibha (Incharge)			
\vdash							
0	Year of construction:			2011			
1	Reference letter no.:			Outdoor diary no. 14862 dated 24.03.2025			
,No				Requirements as	Provide at site	Remarks	
791 10			ention and fire safety	per Rules 35 (6)		MR/NMR	
	- 1		tirements U/R 33				
	\rightarrow	_	ess to Building			100	
	-		Road width	Accessible	Accessible	MR	
	_	B	Gate width	NA	NA	NA NA	
		\mathbf{C}	Width of internal roads	NA	NA	INA	
2			nber, Width, Type & Arrangen	nent of Exits			
-	_	A	No. of staircase:			MD	
	-		a) Upper floor	2 nos.	Provided	MR NA	
			b) Basements	NA	NA	NA	
	+	В	Width of the staircase:		1.50 anah	MR	
-	-	_	a) Upper floor	1.50 m each	1.50 m each	NA	
1			b) Basements	NA	NA	117.1	
and the same of th	C	C	Protection of exits	314	NA	NA	
			a) Fire check door	NA NA	NA .	NA	
			b) Pressurization	01 no.	Provided	MR	
		D	No. of continuous staircase to	or no.			
			terrace:	1.5 m	Provided	MR	
		F	Width of the corridor	1.0 m. (for class	1.0 m (for class	MR	
		E	Door size	room)	room)		
	3	Co	mpartmentation:			1221	
	3	A	Fire check doors	NA	NA	NA	
		B	Sealing of electrical shafts	NA	NA	NA NA	
		C	Fire rating of shaft doors	NA	NA	NA NA	
		D	Water curtain	NA	NA	NA NA	
		E	Fire dampers	NA	NA	INV	
4		Sn	noke Management System:	i i	T	NIA	
		A	Upper floors	12 a/c per hour	NA	NA NA	
		В	Basements	30 a/c per hour	NA	INA	
-	5	Fi	re Extinguishers			MD	
		A	Total numbers	06 nos.	06 nos.	MR	
		В	Types	CO ₂ & ABC	CO ₂ & ABC	MR	
		C	ISI marking	Required	Provided	MR	

ava

f d2 ,1d

ing Sum² ADO

6	First Aid Hose reel							
	A	Total no. at each floor	NA	NA	NA			
t	В	Length of hose reel	NA	NA	NA			
t		Nozzle diameter	NA	NA	NA			
7	Automatic Fire Detection and Alarm System (ADAS)							
	A	Type of detectors	NA	NA	NA			
	В	Location of main panel	NA	NA	NA			
1	С	Location of repeater panel	NA	NA	NA			
1	D	Alternate power source	NA	NA	NA			
	E	Hooter's location	NA	NA	NA			
8	MC	DEFA	NA	NA	NA			
9	Pul	blic Address System	NA	NA	NA			
10	Automatic Sprinkler System							
	A	Basement	NA	NA	NA			
	В	Upper floor	NA	NA	NA			
	С	Sprinklers above false ceiling	NA	NA	NA			
11		ernal Hydrants	11/21	11/1	1111			
	A	Size of the riser/down comer	NA	ŇA	NA			
	В	No. Of hydrants per floor	NA NA	NA NA	NA NA			
	C	Hose box	NA NA	NA NA	NA			
12	-	rd Hydrants	INA	INA	INA			
	A	Total no. of hydrants	NA	NA	NA			
	В	Hose box	NA NA	NA NA				
13		mping Arrangements	INA	NA	NA			
	A	Ground Level						
		a) Discharge of main pump	NA	NIA	NIA			
		b) Head of main pump	NA NA	NA NA	NA			
		c) Number of main pump	NA NA	000000000000000000000000000000000000000	NA			
		d) Discharge of jockey pump	NA NA	NA	NA			
		e) Head of jockey pump	NA NA	NA	NA			
		f) Discharge of standby pump	NA NA	NA	NA			
		g) Head of standby pump	NA NA	NA	NA			
	-	h) Auto starting/ manual stopping	NA NA	NA	NA			
	В	Terrace Level	INA	NA	NA			
		a) Discharge of terrace pump	27.4					
			NA	NA	NA			
		, FP	NA	NA	NA			
		, I FF-J	NA	NA	NA			
14	Co	d) Auto starting of pump	NA	NA	NA			
14	A	ptive Water Storage for Fire Fightin						
	B	Underground tank capacity Draw off connection	NA	NA	NA			
	C	Fire service inlet	NA	NA	NA			
	E	Access to tank	NA	NA	NA			
	D		NA	NA	NA			
15	+	Overhead tank capacity	NA	NA	NA			
16		cit Signage Povision of lift	Required	Provided	MR			
10								
	A	Pressurization of lift shaft	NA	NA	NA			
	B	Pressurization of lift lobby	NA	NA	NA			
	C	Communication in lift car	NA	NA	NA			
	D	Fireman switch	NA	NA	NA			
17	E	Lift signage	NA	NA	NA			
1/	St	andby Power Supply	NA	NA	NA			

MCD Primary Co-Ed School, Fire Station, Ashram Chowk, New Delhi- 110014 (School ID- 1958030).

18	Refuge Area					
	A	location	NA	NA	NA	
	В	Total area	NA	NA NA	NA NA	
19	Fire Control Room					
	A	Fire detection system panel	NA	NA	NA	
	B	Flow switch panel	NA	NA	NA	
	C	P A system panel	NA	NA	NA	
	D	Battery backup	NA	NA	NA	
	E	Building floor plan	NA	NA	NA	
20	20 Special Fire Protection for special risk if any					

Meeting Requirement (MR), Not Meeting Requirement (NMR), Not Applicable (NA), Provided But Not Functional (PNF).

The fire protection systems provided in the building were tested checked and found properly functional at the time of inspection.

In view of the deemed compliance of minimum standards of fire prevention and fire safety measures as required in Directorate of Education Circular no. 3298 to 3398 dated 01.03.2011, the FSC issued vide letter no. F6/DFS/MS/School/2022/SZ/61dated 21.01.2022 is recommended to be renewed.

> Signature of the Inspecting Officer Name Rajesh Kumar Shukla Designation ADO (M. Road)