## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELH HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



No. F6/DFS/MS/School/NDZ/2025/6/0

Dated: 06/0472025

## **FIRE SAFETY CERTIFICATE**

Issued on <u>06/05/2025</u> at New Delhi by.

(ATUL GARG)
DIRECTOR
OCDELHI FIRE SERVICE

## Copy to: -

- The Director of Education, East Delhi Municipal Corporation, 419, Udyog Sadan, Patparganj Industrial Area, Delhi - 110092.
- 2. The Principal, R.S. Public School located at Village Gharoli, Delhi 110096.

## Conditions for the validity of Fire Safety Certificate

- The owner /occupier shall apply for renewal of this fire safety certificate to the Director in form J' [sub rule
   of rule 37] along with a copy of this certificate, six months prior to its expiry
- 2. All the means of escape shall be kept free of all the type of obstruction all the time.
- All the employees shall be acquainted with the use and maintenance of all fire equipment's and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 4. All the firefighting equipment's shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 5. The clarification with regards electrical installation, ventilation, structure stability set back areas, occupancy



	IN			ECTION REPOR				
			& address of the building	R.S. Public S 110096.	School at Village	Gharoli, Del		
2	B	uild	ing is comprised of	Ground plus one upper floor.				
3	T	/pe	of occupancy	Educational Building				
4			of case	Renewal /				
5	Details of previous FSC			F6/DFS/MS/Sghool/2016/NDZ/53 dated				
_				06/01/2016.				
6	Fire or fate, 31 - 41 - 1			06/01/2016.*  E16/E-t/CG/Eiro Sofaty/2011/3298 to 3398				
U	FI	re s	afety directives letter no.	F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011				
7	D	ate o	of inspection	09/04/2025.				
8	_	_	of the inspecting officers	Yashwant Singh	n Meena ADO (L.N)	)		
9	N	ame	of the designation of r from the building side	The state of the s				
10	Year of construction			2004				
11		1200	cant's letter no.	Outdoor diary no. 15111 dated 28/03/2025				
S.No		Minimum standard of fire safety requirements as per circular no.3298 to 3398 dated 01.03.2011		Requirement	Provided at site	Remarks MR/NMR		
1	Access to Building:		(A)	A Commission of American	6.0 metars	MR		
	A		oad width	6.0 meters.	6.0 meters.			
	B		ate width	N/A	N/A N/A	N/A N/A		
	C		idth of internal road	N/A	IV/A	IN/A		
_				140.000	*3/4 *	1771		
2	Nı	ımb	er, Width, Type and Arran	140.000	2022	1 1		
2		ımb	per, Width, Type and Arran fumber of staircases	gement of Exits:		r i A		
2	Nı	N a	oer, Width, Type and Arran fumber of staircases Upper floor	gement of Exits: 01 no.	02 nos.	MR		
2	A	nmb a c	ver, Width, Type and Arran fumber of staircases Upper floor Basement	gement of Exits:		r i A		
2	Nı	N a c	Jumber of staircases Upper floor Basement Vidth of staircases	01 no. N/A	02 nos. N/A	MR N/A		
2	A	nmb a c	ver, Width, Type and Arran fumber of staircases Upper floor Basement	gement of Exits: 01 no.	02 nos.	MR		
2	A	N a c W a	Jumber of staircases Upper floor Basement Vidth of staircases Upper floor	01 no. N/A 1.50 meters	02 nos.  N/A  02 nos. (1.05 meters each)	MR N/A MR*		
2	Ni A B	N a c W a	Jumber of staircases Upper floor Basement Jidth of staircases Upper floor Basement	01 no. N/A	02 nos. N/A 02 nos.	MR N/A		
2	A	N a c W a b Pr	Jumber of staircases Upper floor Basement Vidth of staircases Upper floor Basement Vidth of staircases Upper floor	01 no. N/A  1.50 meters	02 nos.  N/A  02 nos. (1.05 meters each)	MR N/A MR*		
2	Ni A B	N a c W a b	Jumber of staircases Upper floor Basement Jidth of staircases Upper floor Basement Totection of exits Fire check door	01 no. N/A  1.50 meters  N/A  N/A	02 nos. N/A  02 nos. (1.05 meters each)  N/A  N/A	MR N/A MR* N/A N/A		
2	Ni A B	Na a c W a a b Prr a b No	Jumber of staircases Upper floor Basement Vidth of staircases Upper floor Basement Vidth of staircases Upper floor	01 no. N/A  1.50 meters	02 nos.  N/A  02 nos. (1.05 meters each)	MR N/A MR*		
2	Ni A B C	N a c W a b Pr a b No to	ber, Width, Type and Arran fumber of staircases Upper floor Basement Vidth of staircases Upper floor  Basement Totection of exits Fire check door Pressurization D. of continuous staircases	01 no. N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A	MR N/A MR*  N/A N/A N/A N/A N/A		
	B C C	b Pra b Noto W	Jumber of staircases  Upper floor  Basement  Jidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases  terrace	01 no. N/A  1.50 meters  N/A  N/A  N/A  N/A	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  2.30 meters.	MR N/A MR*  N/A N/A N/A N/A N/A N/A		
	A B C C D E F	b Pra b Noto W	Upper floor Basement Totection of exits Fire check door Pressurization o. of continuous staircases terrace	01 no. N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  1.50 meters.	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A	MR N/A MR*  N/A N/A N/A N/A N/A		
	B C D E F Co A	b No to W	Jumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases  terrace  idth of corridor  oor size  artmentation:  re check door	01 no. N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  1.50 meters.	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  1.0 meters.  1.0 meter.	MR N/A MR*  N/A N/A N/A N/A N/A N/A MR MR		
	B C D E F Co A B	b Pra b Noto W Do	Jumber of staircases  Upper floor  Basement  Jidth of staircases  Upper floor  Basement  Totection of exits  Fire check door  Pressurization  o. of continuous staircases  terrace  idth of corridor  por size  artmentation:  re check door  aling of electrical shafts	01 no. N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  1.50 meters.  1.0 meter.	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  1.0 meters.  NA	MR N/A MR*  N/A N/A N/A N/A N/A N/A N/A N/A N/A N/		
	B C C D E F Co A B C	b Pra b Noto W Do mpa See Fin	Jumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases  terrace  idth of corridor  oor size  artmentation:  re check door  aling of electrical shafts  re rating of shaft door	01 no. N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  1.0 meters.  1.0 meter.	MR N/A		
	B C D E F Co A B C D	b No W Do Fin See Fin W.	lumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases terrace  idth of corridor  oor size  artmentation:  re check door  aling of electrical shafts  re rating of shaft door  atter curtain	01 no.  N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  1.0 meters.  NA  N/A	MR N/A		
	B C D E C O A B C D E E E	b Pra b No to W Do Fin See Fin W Fin See	lumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases  terrace  Idth of corridor  Oor size  artmentation:  re check door  aling of electrical shafts  re rating of shaft door  atter curtain  re dampers	N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/A	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  1.0 meters.  NA  N/A  N/A  N/A  N/A  N/A  N/A  N/A	MR N/A MR*  N/A N/A N/A N/A N/A N/A N/A N/A N/A N/		
	B C D E F Co A B C D E Sm	b No to W Do Fin See Fin W Fin oke	Jumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases terrace  idth of corridor  oor size  artmentation:  re check door  aling of electrical shafts  re rating of shaft door  atter curtain  re dampers  Management System:	01 no.  N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  1.0 meters.  1.0 meter.  NA  N/A  N/A  N/A  N/A  N/A  N/A  N/A	MR N/A		
	B C D E C D E S M A	b Pra b No to W Do Fin See Fin W Fin oke Ba	lumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases  terrace  Idth of corridor  Oor size  artmentation:  re check door  aling of electrical shafts  re rating of shaft door  ater curtain  re dampers  Management System:	01 no.  N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  1.0 meters.  1.0 meter.  NA  N/A  N/A  N/A  N/A  N/A  N/A  N/A	MR N/A MR*  N/A N/A N/A N/A N/A N/A N/A N/A N/A N/		
3	B C D E F Co A B C D E Sm	b Pra b No to W Do Fin See Fin W Fin oke Ba	Jumber of staircases  Upper floor  Basement  Vidth of staircases  Upper floor  Basement  Otection of exits  Fire check door  Pressurization  o. of continuous staircases terrace  idth of corridor  oor size  artmentation:  re check door  aling of electrical shafts  re rating of shaft door  atter curtain  re dampers  Management System:	01 no.  N/A  1.50 meters  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	02 nos.  N/A  02 nos. (1.05 meters each)  N/A  N/A  N/A  N/A  N/A  1.0 meters.  1.0 meter.  NA  N/A  N/A  N/A  N/A  N/A  N/A  N/A	MR N/A MR*  N/A N/A N/A N/A N/A N/A N/A N/A N/A N/		

			MIZ				
5.	Fi	re Extinguisher:	06 nos.	09 nos.	10		
	A	Total numbers	CO <sub>2</sub> & ABC	CO <sub>2</sub> & ABC	MR		
	B	Types	ISI Marked	Provided	MR		
	C	ISI marking	151 Marked	Flovided	MR		
6	Fi	rst-Aid-Hose Reel:	N/A	N/A	27/1		
	A	Total numbers of each floor	J. Desart		N/A		
	B	Length of hose reel hose	N/A	N/A	N/A		
	C	Nozzle diameter	N/A	N/A	N/A		
7	Automatic Fire Detection and Alarming System:						
	A	Type of detectors	N/A	N/A	N/A		
	В	Location of main panel	N/A	N/A	N/A		
	C	Location of repeater panel	N/A	N/A	N/A		
	D	Alternate source of power	N/A	N/A	N/A		
	E	Hooters	N/A	N/A	N/A		
8	M	OEFA:	N/A	N/A	N/A		
9		blic Address System:	N/A	N/A	N/A		
10		tomatic Sprinkler System:					
- This	A	Basement	N/A	N/A	N/A		
	B	Upper floor	N/A	N/A	N/A		
	C	Sprinkler above false	N/A	N/A	N/A		
11	Internal Hydrants:						
11	-	Size of riser/down-comer	N/A	N/A	N/A		
	A B	Number of hydrants per	N/A	N/A	N/A		
	D	floor	13-4				
	C	Hose box	N/A	N/A	N/A		
12	Yard Hydrants:						
1.2	A	Total number of hydrants	N/A	N/A	N/A		
	B	Hose box	N/A	N/A	N/A		
12			1071	11/21	11/21		
13	Pumping Arrangements:						
l	7.00	round level	NT/A	NT/A	NI/A		
-	A	Discharge of main pump	N/A	N/A	N/A		
	В	Head of main pump	N/A	N/A	N/A		
-	C	Number of main pumps	N/A	N/A	N/A		
	D	Jockey pump out put	N/A	N/A	N/A		
	E	Jockey pump head	N/A	N/A	N/A		
	F	Standby pump out put	N/A	N/A	N/A		
	G	Standby pump head	N/A	N/A	N/A		
	H	Auto starting /manual stopping	N/A	N/A	N/A		
ŀ	I	Pump house access	N/A	N/A	N/A		
	Terrace Level						
-	A		NT/A	NT/A	N/A		
-	B	Discharge of pump	N/A	N/A	N/A		
-		Head of the pump	N/A	N/A	N/A		
-	C	Power supply	N/A	N/A	IV/A		
-	D	Auto starting of pump	N/A	N/A	N/A		

@ >

14	Ca	ptive Water Storage for Fire Fighting:						
	A	Underground tank capacity	N/A	N/A	N/A			
	B	Draw-off connection	N/A	N/A	N/A			
	C	Fire service inlet	N/A	N/A	N/A			
12	D	Access to tank	N/A	N/A	N/A			
ч	E	Overhead tank capacity	N/A	N/A	N/A			
15	Ex	it Signage:	N/A	N/A	N/A			
16	Provision of Lifts:							
7.	A	Pressurization of lift shaft	N/A	N/A	N/A			
	В	Pressurization of lift lobby	N/A	N/A	! N/A			
	C	Communication in lift car	N/A	N/A	N/A			
	D	Firemen's grounding switch	N/A	N/A	N/A			
	E	Lift signage	N/A	N/A	N/A			
17		andby Power Supply:	N/A	N/A	N/A			
18	Refuge Area:							
	A	Total area	N/A	N/A	N/A			
	B	Location	N/A	N/A	N/A			
19	Fire Control Room:							
	A	Detector system panel	N/A	N/A	N/A			
	В	Flow switch panel	N/A	N/A	N/A			
	C	PA system panel	N/A	N/A	N/A			
	D	Battery backup	N/A	N/A N/A	N/A			
	F	Building floor plans ecial Fire Protection systems for protection	N/A N/A	N/A	N/A			

The fire protection systems provided in the building were tested, checked at random and found functional at the time of inspections.

Keeping in view of the deemed compliance of minimum standards on fire prevention and fire safety measures as required under the Rules the Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/2016/NDZ/53 dated 06/01/2016 under the Circular no F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 is

recommended.

Signature of the Inspecting Officer Yashwant Singh Meena

Name: -Designation: - ADO (L.N)

DFA Blowe.