

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE NEW DELHI- 110001

No. F.6/DFS/MS/EH/2025/SZ/ 32

Dated: 28/01/2025

FIRE SAFETY CERTIFICATE

Certified that the M/s Sagar Ratna Restaurant (a unit of Sagar Ratna Restaurants Pvt. Ltd. running at ground and first only in a building comprised of basement (other property), ground plus three upper floors (2nd & 3rd floor used for office) located at Shop no. C-2, GF & FF, Malviya Nagar, Main Market, New Delhi-110017, was issued Fire Safety Certificate vide Letter No. F.6/DFS/MS/EH/SZ/2022/05 dated 12.01.2022. The Restaurant building was re-inspected by the officer concerned of this department on 03.10.2024 in the presence of Sh. Manish Kumar (Cashier) and found that the restaurant have deemed complied with the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules, 2010 and that the restaurant building/premises (Ground & First Floor only) is fit for occupancy class Group "D" Assembly Building" with effect from 28 of 12025 and valid up-to 31.03.2028, in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule-38 of the Delhi Fire Service Rules, 2010 printed below.

Issued on 28/01/2025 at New Delhi.

(Atul Garg) Director

Delhi Fire Service

Online application Id 2024123118558 dated 01.01.2025

Copy to: - The Executive Engineer (Building), MCD, Civic Centre, Minto Road, New Delhi.

: -for information regarding use of basement.

Conditions for validity of Fire Safety Certificate: -

- 1. This NOC is valid only for ground and first floor.
- All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 3. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
- 4. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
- 5. The trained staff should be available round the clock.
- 6. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
- 7. Basement strictly shall be kept vacant as seen during inspection/used as per BBL.
- 8. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
- 9. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
- 10. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.

INSPECTION REPORT

1. Name & address of the building:

M/s Sagar Ratna Restaurant at C-2, GF & FF, Malviya Nagar, Main Market, New Delhi- 110017.

2. Building is comprised of

Basement, Ground plus four upper floors (4th floor sealed by owner)

3. Type of Occupancy

Group D (Assembly)

Renewal

4. Type of Case 5. Details of Previous NOC

F.6/DFS/MS/EH/SZ/2022/05 dated 12.01.2022

6. Fire Safety directives letter No

N/A

13.01.2025

7. Date of inspection 8. Name of Inspecting Officers

A.D.O. R.K. Yadav (JKP)

9. Name and designation of officers

Mr. Manish (Cashier)

From the building side 10. Year of Construction

2009, rest. Running at GF & FF of the building

11. Applicant's letter No.

MHA Portal ID 2024123118558 dated 01.01.2025

S. No.	Minimum Standards on fire prevention and fire safety U/R 33	Requirements Under 35 (6)	Provided at site	Remarks MR/NMR		
1.	Access to building					
	Road width	06 mtrs.	Provided	M/R		
	• Gate width	N/A	N/A	N/A		
	Width of internal road	N/A	N/A	N/A		
2.	Number, Width, Type & Arrangement of Exits					
	a. Number of staircases					
	Upper Floors	02 no's	02 no's	MR, old case		
	Basements	N/A	N/A	N/A		
	b. Width of staircases					
	Upper Floor	1.14 m & 1.0 m	1.14 m & 1.0 m	MR, old case		
	Basements	N/A	N/A	N/A		
	c. Protection of exits	****				
	Fire check door	N/A	N/A	N/A		
	Pressurization	N/A	N/A	N/A		
	d. No. of continuous staircases to	01 No's	Provided	MR		
	terrace	N/A	N/A	N/A		
	e. Width of Corridor	1 V		10.00.000		
	f. Door Size	02 No's exit	GF- 1.09, 1.05 & 1.0 m FF- 1.10 & 1.0 m	MR, old case		
3.	Compartmentation					
	Fire check door	N/A	N/A	N/A		
	 Sealing of electrical shafts 	N/A	N/A	N/A		
	Fire Rating of shaft door	N/A	N/A	N/A		
	Water Curtain	N/A	N/A	N/A		
	Fire Dampers	N/A	N/A	N/A		
4.	Smoke Management System					
	Basements	N/A	N/A	N/A		
	Upper floors	12 ACPH	Exhaust Fan Provided	MR		
5.	Fire Extinguishers					
	Total numbers in restaurant	08 no.'s	Provided	M/R		
	Types	ABC/CO ₂	ABC- 04 & Co2- 04	M/R		
	IS marking	ISI marked	Provided	M/R		
6.	First-Aid Hose Reels					
	Total numbers at each floor	1 Nos.	Provided	M/R		
	Length of hose reel hose	30 mtrs	Provided	M/R		
	Nozzle diameter	5 mm	Provided	M/R		

MIZ

	Automatic fire detection and alarming	system in restaurant	χ,	14/0
7.		Heat & smoke	Provided	M/R
	Type of detectors Smoke/Heat Location of Main Panel	Required	Ground floor	M/R
	Location of Main Panel Location of Repeater Panel	N/A	N/A	N/A
	Alternate source of power	N/A	N/A	N/A
	Hooters' Location	Required	Each floor	MR
	MOEFA	Required	Provided	M/R
8.	Public Address System	N/A	N/A	N/A
9.				
10.	Automatic Sprinkler System	N/A	N/A	N/A
	Basement	Required	Provided	MR
	Upper floors Sprinkler above false ceiling	N/A	N/A	N/A
		W SAME AT		
11.	Internal Hydrants	(00) (0)	Provided	M/R
	Size of riser/down-comer	100 MM	Provided	M/R
	Number of hydrants Hose Box	01 no's 01 no's	Provided	M/R
	S-10003 (C.7)	01 110 8	TIOTAGE	
12.	Yard Hydrants		NVA	N/A
	Total number of hydrants	N/A	N/A N/A	N/A
	Hose Box	N/A	N/A	1 MAS 10
13.	Pumping Arrangements	1		
	Ground Level		1 1 1 1	NIA
	Discharge of main Pump	N/A	N/A	N/A
	➤ Head of Main pump	N/A	N/A	N/A N/A
	 Number of main pumps Jockey Pump out put 	N/A	N/A N/A	N/A N/A
	> Jockey pump head	N/A	N/A N/A	N/A
	, , , , , , , , , , , , , , , , , , , ,	N/A N/A	N/A	N/A
	Standby Pump out put	N/A	N/A	N/A
	Standby Pump Head	N/A	N/A	N/A
	Water curtain Pump	N/A	N/A	N/A
	➤ Auto Starting/Manual Stopping	A A III		
	Çitoppinig	N/A	N/A	N/A
	➤ Pump House Access			
	Terrace level	Boosting pump	450 & 180 LPM	M/R
	Discharge of pump	40 m	Provided	M/R
	➤ Head of the pump➤ Power Supply	Required	Provided	M/R
	➤ Auto Starting of pump	Required	Provided	M/R
14.	Captive Water Storage for fire-fighting			
4.				
	➤ Underground tank capacity	N/A	N/A	N/A
	Draw-off connection Fire service inlet	N/A	N/A	N/A
	> Access to tank	Required N/A	Provided N/A	M/R N/A
	Overhead Tank capacity	5,000 ltrs	Provided	M/R
	• • • • • • • • • • • • • • • • • • • •			
5.	Exit Signage.	Required	Provided	M/R
5.	Provision of Lifts	001	2,02	
	Pressurization of Lift Shaft	N/A	N/A	N/A
	Pressurization of Lift lobby	N/A	N/A	N/A
	Communication In lift Car	N/A	N/A	N/A
	Fireman's Grounding Switch	N/A	N/A	N/A
t	Lift Signage	N/A	N/A	N/A

N/18

/DR						
Standby	power supply	Required	Provided (DG Set)	M/R		
	Refuge Area.					
		N/A	N/A			
B	Total Area Location	N/A	N/A	N/A N/A		
				IVA		
Fire Co	Fire Control Room					
	Detector System Panel	N/A	N/A	N/A		
19	Switch Panel	N/A	N/A	N/A		
	A System Panel	N/A	N/A	N/A		
	hattany hackUD	N/A	N/A	N/A		
• 1	Building Floor Plans Special Fire Protection System for Special Fire Protection System for Special Fire Protection System for	N/A	N/A	N/A		
		N/A	N/A	N/A		
Special Protection	on of special Risks, if any:			1071		

The fire protection systems provided in the building were tested/checked and found functional at the time of inspection.

Note: - Restaurant running at ground and first floor in a building comprised of basement (other property), ground floor & first floor (Restaurant), second and third floor (office).

Keeping in view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the FSC issued vide letter No. F.6/DFS/MS/EH/SZ/2022/05 dated 12.01.2022, renewal under rule 37 of the Delhi Fire Service Rules 2010 is recommended.

Accordingly, DFA is put up for approval & signature please.

Signature of the Inspecting Name- R.K. Yan

Designation- ADO (JKP)

DO (Sp)

Director My

PPO