

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUATERS: DELHI FIRE SERVICE: NEW DELHI-110001



No. F.6/DFS/MS/School/2025/SZ/ 1173

Dated: 23 /09 /2025

FIRE SAFETY CERTIFICATE

Certified that buildings of Shaheed Captain Sumit Rai Govt. Sarvodaya Kanya Vidyalaya No. 1 and Sarvodaya Bal Vidyalaya No. 2 (School ID: 1821001) located at Palam Enclave, New Delhi-110045 (School ID: 1821018 & 1821001 respectively), each comprised of Ground + 03 upper floors, owned/occupied by Directorate of Education, Govt. of NCT of Delhi, was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/SZ/2022/777 dated 22/07/2022. The premise was re-inspected by the officer concerned of this department on 09/09/2025 in the presence of Smt. Poonam Yadav (HOS), SKV No. 1 and found that said buildings have complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the school premise/building is fit for occupancy class "Educational Group B" with effect from 23/09/2025 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 23 / 09 /2025 at New Delhi by

(Virendra Singh) Chief Fire Officer Delhi Fire Service

Copy to: -

1. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi-110054

2. The Principal/HOS, SCSR Govt. Sarvodaya Kanya Vidyalaya No. 1, Palam Enclave, New Delhi-110045

Conditions for the validity of Fire Safety Certificate: -

1. All the means of escape/entry/exit shall be kept free from any obstruction.

2. All the fire safety arrangement provided therein shall be maintained in good working conditions at all time as seen during inspection. Any loss of life property due to non-functional fire safety measures shall be at the responsibility of the management.

3. All the staff members must know the correct method of operation of fire-fighting system.

4. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or alteration (Clause 1.4.3 of UBBL-2016), if any.

5. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule37] along with a copy of this certificate, prior to its expiry. 6. The owner/occupier shall submit a declaration every year in form "K" provided in the first

schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

17.00	Name & address of the building	Shaheed Capta	in Sumit Rai Govt.	Sarvodava	
1.	Traine se		ya No. 1, Palam En		
		Delhi–110045 (ID: 1821018 & 1821001)			
2.	Type of occupancy	Educational, G	roup-B (School)		
3.	Building comprised of	02 Blocks of Ground + 3 Upper Floors.			
Type of Case Details of previous NOC	Renewal F6/DFS/MS/SZ/2022/777 dated 22/07/2022				
					6.
7.	Date of Inspection	09/09/2025			
W Act	1	ADO (DWK)			
8.	Name of the Inspecting Officer	Smt. Poonam Yadav (HOS)			
9.	Name and designation of Officer	Smt. Poonaili Taday (1103)			
10.	from the building side. Year of construction	2022			
-070/G			/1/PF/786 dated 31/	07/2025	
11.	Applicant's letter No.	No. SCSR/SKV1/PE/786 dated 31/07/2025 Outdoor Diary No. 4468 dated 04/09/2025			
S.	Minimum standards on fire	NBC/UBBL Provided at site Remark		Remarks	
s. Vo.	prevention and fire safety U/R 33	Requirement		MR/NMI	
1.	Access of building	- U			
	Road width	6.0 mtr	Provided	MR	
	Gate width	4.5 mtr	Provided	MR	
	SECTION DIVING IN	N/A	N/A	N/A	
	Width of internal road				
2.	Number, width, Type & Arrangement. a. Number of staircases	S OI CARS	V I		
	a. Number of staircases > Upper floors	Two (Each Blk)	Two (Each Blk)	MR	
	> Basements	N/A	N/A	N/A	
	b. Width of staircases				
	b. Width of staticases > Upper floors	1.50m (Éach Blk)	2x1.70m (Each Blk)	MR	
	> Basements	N/A	N/A	N/A	
		111111111111111111111111111111111111111			
	c. Protection of exits > Fire check door	N/A	N/A	N/A	
	> Pressurization	N/A	N/A	N/A	
	d. No of continuous staircase to terrace	Two (Each Blk)	Two (Each Blk)	MR	
		1.50 mtr	1.60 mtr	MR	
	6460 McC-3325	1.20 mtr	Provided	MR	
	f. Door Size	1100		1	
3.	Compartmentation	N/A	N/A	N/A	
٥.	 Fire check door 		N/A	N/A	
3.	Carling of alastrical shafts	N/A	1111		
2.	Sealing of electrical shafts Fire Pating of shaft door	N/A N/A	N/A	N/A	
26	 Fire Rating of shaft door 		N/A N/A	N/A	
	Fire Rating of shaft doorWater Curtain	N/A	N/A		
	Fire Rating of shaft doorWater CurtainFire Dampers	N/A N/A	N/A N/A	N/A	
4.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System 	N/A N/A N/A	N/A N/A N/A	N/A N/A	
	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements 	N/A N/A N/A	N/A N/A N/A	N/A N/A	
4.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System 	N/A N/A N/A	N/A N/A N/A N/A Natural Ventilation	N/A N/A	
4.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements Upper floors 	N/A N/A N/A	N/A N/A N/A	N/A N/A	
4.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements Upper floors Fire Extinguishers Total numbers at each floor 	N/A N/A N/A N/A 12 ACPH	N/A N/A N/A N/A Natural Ventilation	N/A N/A N/A MR	
4.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements Upper floors Fire Extinguishers Total numbers at each floor Types 	N/A N/A N/A N/A 12 ACPH 26 Nos	N/A N/A N/A Natural Ventilation Provided	N/A N/A N/A MR	
5.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements Upper floors Fire Extinguishers Total numbers at each floor Types IS marking 	N/A N/A N/A N/A 12 ACPH 26 Nos ABC & CO2	N/A N/A N/A Natural Ventilation Provided Provided	N/A N/A N/A N/A MR MR	
4.	Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements Upper floors Fire Extinguishers Total numbers at each floor Types IS marking First—Aid Hose Reels	N/A N/A N/A N/A 12 ACPH 26 Nos ABC & CO ₂ ISI marked	N/A N/A N/A Natural Ventilation Provided Provided Provided	N/A N/A N/A N/A MR MR MR MR	
5.	 Fire Rating of shaft door Water Curtain Fire Dampers Smoke Managements System Basements Upper floors Fire Extinguishers Total numbers at each floor Types IS marking 	N/A N/A N/A N/A 12 ACPH 26 Nos ABC & CO2	N/A N/A N/A Natural Ventilation Provided Provided	N/A N/A N/A N/A MR MR	

84

	Automatic fire detection and alarming s	ystem		NT/A
	of detectors	N/A	N/A	N/A
	Location of Main Panel Location of Main Panel	N/A	N/A	N/A
	Location of Repeater Panel	N/A	N/A	N/A
	Alternate source of power	N/A	N/A	N/A
8.	Hooters' Location MOEFA	N/A	N/A	N/A
9.		N/A	N/A	N/A
10.	Public Address System	N/A	N/A	N/A
	Automatic Sprinkler System			
	Basements	N/A	N/A	N/A
	• Upper floor	N/A	N/A	N/A
11.	Sprinkler above false ceiling	N/A	N/A	N/A
11.	Internal Hydrants:			
	Size of riser/down-comer	N/A	N/A	N/A
	Number of hydrants per floor	N/A	N/A	N/A
10	Hose Box	N/A	N/A	N/A
12.	Yard Hydrants			
	Total number of hydrants	N/A	N/A	N/A
12	Hose Box	N/A	N/A	N/A
13.	Pumping Arrangements:			
	Ground Level			
	Discharge of main pump	N/A	N/A	N/A
	Head of main pump	N/A	N/A	N/A
	Number of main pumps	N/A	N/A	N/A
	Jockey pump out putJockey pump head	N/A	N/A	N/A
	Standby Pump out put	N/A	N/A	N/A
	Standby Pump Head	N/A N/A	N/A	N/A
	Auto Staring/Manual stopping	N/A	N/A N/A	N/A
	Pump House Access	N/A	N/A	N/A
	Terrace level	ı,	IVA	N/A
	Discharge of pump	450 LPM (Each Block)	450 LPM x 2 (Each Block)	MR
	Head of the pump	40m	Provided	MR
	Power supply	Required	Provided	MR
14.	Auto starting of pump	Required	Provided	MR
14,	Captive water Storage for firefighting			1,11
	Underground tank capacity	N/A	N/A	N/A
	Draw off connection Fire service inlet	N/A	N/A	N/A
	Fire service inletAccess to tank	N/A	N/A	N/A
	Overhead Tank capacity	N/A	N/A	N/A
	overhead Tank capacity	10,000 ltrs	10,000 ltrs	MR
15	Exit Signage	(Each Blk) Required	(Each Blk)	
16.	Provision of Lifts	required	Provided	MR
	Pressurization of Lift Shaft	NI/A	1	1
	Pressurization of lift lobby	N/A N/A	N/A	N/A
	Communication in lift Car	N/A	N/A	N/A
	Fireman's Grounding Switch	N/A N/A	N/A	N/A
	➤ Lift Signage	N/A N/A	N/A	N/A
17.	Standby Power Supply	N/A N/A	N/A	N/A
18.	Refuge Area	IWA	N/A	N/A
	> Total area			
	Location	N/A	N/A	N/A
		N/A		

fet

10	Fire Control Room			
19.	> Detector system panel	N/A	N/A	N/A
	➤ Flow Switch Panel	N/A	N/A	N/A
	> PA System Panel	N/A	N/A	N/A
	➤ Battery backup	N/A	N/A	N/A
	➤ Building Floor Plans	N/A	N/A	N/A
20.	Special Fire Protection Systems for Protection of Special Risks, if any;			

The fire protection systems provided in the building were checked, tested at random and found functional at the time of inspection.

Keeping in view of the deemed compliance of the minimum standard on fire prevention and fire safety measures as required under the rules, the fire safety certificate issued vide letter No. F6/DFS/MS/SZ/2022/777 dated 22/07/2022, renewal under rule 37 of the Delhi Fire Service Rules, 2010 is recommended.

Accordingly, DFA is put up for approval & signature please.

Signature of the Inspecting Officer
Name: Santosh Kumar

Designation: ADO (DWK)

Principal Dinester

Principal Dinester

Principal Dinester

The principal Dine

1819) 2000

or, FT letter is putury

for your &

- Vac

CFOIMS Var