

## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



No. F6/DFS/MS/School/WZ/2025/ 990

Dated:-

11/08/2025

## FIRE SAFETY CERTIFICATE

Certified that the Shivani Public Sr. Secondary School, Located at Nangloi, Delhi-110041, is running at Ground plus Two Upper Floors only, building comprised of Ground + 03 Upper Floors, was issued Fire Safety Certificate by this department Vide Letter No. F6/DFS/MS/School/WZ/2022/573 Dated 27/05/2022. The said premise was re-inspected by the officer concerned of this department on 15/07/2025 in the presence of Sh. Sumeet Sharma (Principal) and found that the premises/building have deemed complied with the fire prevention and fire safety requirements in accordance with D.O.E. Cr. No. 3298-3398 dated 01.03.2011 and that the premises/building is fit for occupancy class "Educational Building" Group B with effect from 11 08 2025 for a period of three years, subject to compliance of the conditions, printed below.

Issued on ... 1.108 2025 at New Delhi by.

Virendra Singh Chief Fire Officer

Copy to: -

1. The Director, Directorate of Education, GNCT of Delhi, Old Secretariat Delhi - 110054.

2. The Principal, Shivani Public Sr. Secondary School Located at Nangloi, Delhi-110041.

## Conditions for validity of fire safety certificate:-

1. This FSC is valid for Ground plus Two Upper Floors only.

2. All the means of escape shall be kept free of all type of obstruction all the time.

3. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.

4. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional if fire safety measures, management shall be responsible.

5. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.

6. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.

7. All comments / directions of licensing Department shall always be permitted and followed.

The owner /occupier shall submit a labority of the comment of

8. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on <a href="https://www.dfs.delhigovt.nic.in">www.dfs.delhigovt.nic.in</a>

9. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.

## **INSPECTION REPORT**

1. Name and address of the building: Shivani Public Sr. Sec. School Located at

Nangloi, New Delhi-110041

Type of Occupancy

: Educational (G + 02 Upper Floor only)

Type of Case

: Renewal

4. Details of previous NOC

: F6/DFS/MS/School/WZ/2022/573 Dated 27/05/2022

5. Fire Safety directives Letter No.: D.O.E. Cr. No. 3298-3398 dated 01/03/2011

Date of inspection

: 15/07/2025

7. Name of the Inspecting Officer: Aman Kumar Lathar, ADO (JWP)

8. Name and designation of Officer

from the building side

: Sh. Sumeet Sharma (Principal)

9. Year of Construction

: 2006

10. Applicant's letter No.

: nil dated 26/05/2025

S No	Minimum standards on fire prevention and fire safety U/R 33	Requirements as D.O.E. Cr. Dates 01/03/2011/Rule (6) of DFS Act	d si	rovided at te	Remarks MR/NMR		
1.	Access of building						
	Road width	06 m	1)	rided	MR MR		
1	<ul> <li>Gate width</li> </ul>	4.5 m	E-970 (80 2010)	Provided NA			
	<ul> <li>Width of internal road</li> </ul>	NA	N				
2.	Number, width, Type & Arrang	gements of exits		D			
	a. Number of staircases			537			
1	<ul> <li>Upper floors</li> </ul>	. 01		2	MR		
	Basements	NA	N	A	NA		
1	b. Width of staircases		100	and the same of th			
	Upper floors	1.5 m or less and 0.75 m	1.04 – 1 0.89 - (	.13 m & 0.97 m	MR		
	Basements	NA	N	Α	NA		
	c. Protection of exits						
	Fire check door	NA.	N	A	NA		
	Pressurization	NA	N	A	NA		
	d. No of continuous staircase to terrace	01	Prov	rided	MR		
	e. Width Of Corridor	1.5 m	Prov	rided	MR		
	f. Door Size	1 m	Prov	rided	MR		
3.	Compartmentation		N	A			
	Fire check door	NA	N N	A	NA		
	Sealing of electrical shafts	NA	N	A	NA		
	Fire Rating of shaft door	or NA	N	A	NA		
	Water Curtain	NA	N	Α	NA		
	Fire Dampers	NA	N	A	NA		
4.	Smoke managements System						
	Basements	NA		A	NA		
	Upper floors	Required	Natural Ventilation		MR		

2-22

5.	Fire Extinguishers			Provide	d	MR
	Total numbers		20 nos.	Provide		MR
	Types		ABC & CO <sub>2</sub>			MR
	IS marking	4	ISI marked	Provide	u	IVII
6.	First - Aid Hose Reels					MI
	Total numbers on contract the second se	each floor	01	Provid		
	Length of hose ree		30 m	Provid		MI
	Nozzle diameter	HOSE	5 mm	Provid	led	MF
7.	Automatic fire detection a	nd alarmin	ART ENGINEER			
	Type of detectors	iiu aiaiiiiii	NA	NA NA		NA
	Location of Main F	Panal	NA	NA		NA
	Location of Repeat		NA	NA		NA
	Alternate source of	nower	NA	NA		NA
	Hooters' Location	power	NA	NA		NA
8.	MOEFA		1 200	NA		NA
9.	Public Address System		NA	12/10/10/10		NA
10.	Automatic Sprinkler System	m	NA	NA		IVA
	Basements	ш	NIA	NIA		NA
	Upper Floor		NA NA	NA NA		NA NA
	Sprinkler above fall	SA 00:11:	NA NA	NA NA		
11.	Internal Hydrants:	se celling	NA	NA		NA
	<ul> <li>Size of riser/down-</li> </ul>	Comer	NA	1 1	-	NIA
	Number of hydrants	ner floor	NA NA	NA NA		NA
	TOSE BOX	ber 11001	NA NA	NA NA		NA
12.	- Try Grants		IVA	INA		NA
	Total number of hyd	drants	NA	NIA	-	NIA
12	- Hose Box		NA	NA NA	-	NA
13.	miping Arrangements:	i .		IVA		NA
	<ul> <li>Ground Level</li> </ul>					
	Discharge of main p     Head of main p	ump	NA	NA		VA
	1 Troud of main pump		NA	NA		VA.
	<ul><li>Number of main pur</li><li>Jockey pump out pu</li></ul>	mps •	NA	NA	_	VA.
	> Jockey pump head	U	NA NA	NA	N	IA
	Standby Pump out p	ut	NA NA	NA	. N	IA
	Standby Pump Head		NA NA	NA		Α
	Auto Staring/Manua	l stopping	NA NA	NA		Α
	Pump House Access		NA	NA NA	N	
ř	Terrace level     Discharge of nump			INA	N.	A
	<ul><li>Discharge of pump</li><li>Head of the pump</li></ul>		450 lpm	Provided	M	R
	Power supply		40 m	Provided	M	
	Auto starting of pum	n	Required	Provided	MI	
4.	Captive water Storage for fir	-	Required	Provided	MI	10.7
	Under ground tank co	engite				
	Draw off connection	apacity	NA NA	NA NA	NA	
	Fire service inlet	8	NA NA	NA NA	NA	
	> Access to tank	-	NA NA	NA NA	NA NA	
	<ul> <li>Overhead Tank capa</li> </ul>	city	10,000 ltrs.	Provided	MR	
5	Exit Signage		Required	Provided	MR	
	Provision of Lifts	-				
6.	Pressurization of Lift	Shaft	NA	NA	NA	
5.				NA	NA	700
6.	Pressurization of lift	lobby	NA	102.1310.3400	_	
6.	<ul><li>Pressurization of lift</li><li>Communication in lift</li></ul>	lobby ft Car	NA	NA	NA	
6.	Pressurization of lift	lobby ft Car		102.1310.3400	_	

17.	Standby power supply		NA	27.7	~~2	
18.	Refuge Area		- MA	NA	NA	
	<ul><li>➤ Total area</li><li>➤ Location</li></ul>		NA	NA	NA	
9.	Fire control room		NA	NA	NA	
	<ul><li>Detector system panel</li></ul>	NA	NA		NA	
	Flow Switch Panel	NA ·	NA		NA	
	<ul><li>PA System Panel</li><li>Battery backup</li></ul>	NA	NA		NA	
	Building El Di	NA	NA		NA	
^	➤ Building Floor Plans	NA	NA		NA	
0.	Special Fire Protection Systems for Protection of special Risks, if any;	NA	NA	ŀ	NA	

functional at the time of inspection.

Note: - During inspection, School is running at Ground plus 02 Upper floor only. The school management not used 3<sup>rd</sup> floor for school activity.

In view of the deemed compliance of the minimum standards on fire prevention and fire safety requirements as per D.O.E. Cr. No. 3298-3398 dated 01.03.2011, renewal of Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/WZ/2022/573 Dated 27/05/2022 is recommended.

Accordingly DFA is put up for approval please.

Aman Kumar Lathar ADO (JWP)

Sui, F.T. Is I'm is added for signaline M