

CHAPTER 13

WATER SUPPLY AND SEWERAGE

The NCT of Delhi is the largest metropolis in North India and has the highest demographic expansion and rapid urbanization. This city state is high on water consumption, low on internal water resources and high on external dependency mainly through other states for water from river Yamuna, Ganga, Bhakra Beas system. Delhi has limited options to influence developments outside its boundary. Growth of the city beyond reasonable limits imposes unbearable strain for provisioning of two most basic services: water and sanitation.

2. The Delhi Jal Board is responsible for the Production and Distribution of potable water after treating raw water from various sources like river Yamuna, Bhakhra Storage, Upper Ganga Canal & Groundwater and also provides treatment and disposal of waste water. To meet the growing requirement of water due to the increase in population at a rapid rate, Delhi Jal Board (DJB) is planning to increase the water supply and treatment capacity in every Five Year Plan. Efforts are being made by the Government for an equitable and adequate Water Supply in all parts of the NCT of Delhi by laying of new water lines, construction of UGRs, construction of new Water Treatment Plants, etc. Water treatment and supply capacity of Delhi Jal Board, which was 66 MGD in 1956, was raised to 240 MGD in 1979, 437 MGD in 1990, 650 MGD in 2002 and 906 MGD in March, 2014.
3. Delhi Jal Board has improved its governance and undertook a number of measures for proper demand-side planning, efficient management of water distribution and water audit and proper water accounting, a transparent tanker water distribution system using GPS/GPRS with schedules of operation available online, elimination of unscrupulous private tankers charging exorbitant rate. Concurrently, the Delhi Jal Board made transformative improvements in water pipeline and supply reaching constituencies like Dwarka, Sangam Vihar and Tughlakabad, truly moving towards the goal of providing water as a right. Regularization of unauthorized connections, provision of water to over 250 unauthorized colonies and reduction in sewerage and water development charges have brought water to the poorest in Delhi and also ensured better water management and accounting under the ambit of the Delhi Jal Board's formal network. DJB had managed to improve upon its working and monitoring vis-a-vis water and sewage management. It had an increased revenue collection despite poor economics as the positive outcomes of good governance. DJB's, seva app launched to drive bill generation, online payments and the resolution of inflated bills to deliver efficient and transparent services and to instill more confidence in the citizens of Delhi. Factors attributable to the increased DJB's revenue: are Price of the non-free water was increased by 10%, increase in the number of connections/meters, One-time window was offered to people to clear of their previous dues, Several water leakages were fixed. There were several other revenue-generating measures such as

ads on water tankers, renting out property and tap solar power, Innovations/new schemes like water ATMs, “toilet to tap” and GPS-tracking of DJB water tankers.

4. The population of Delhi increased from 138.51 lakh in 2001 to 167.53 lakh in 2011 and expected to reach 190 Lakhs by March 2017. As per 2011 census, there are 33.41 lakh households in Delhi, out of which, 27.16 lakh households were provided piped water supply system. About 4.61 lakh households are getting water supply through tube wells/ deep bore hand pumps/ public hydrants and remaining 1.64 lakh households depended on other sources like river, canal, ponds, tank, spring, etc. Distributions of households by availability of drinking water facility and source in Delhi as per 2011 census is presented in Statement 13.1.

Statement 13.1

DISTRIBUTION OF HOUSEHOLDS BY AVAILABILITY OF DRINKING WATER FACILITY & SOURCE IN DELHI

No	Source and Availability of Drinking Water	Households (%)
I. Sources		
1.	Piped Water Supply System	81.30
	a. From Treated Source	75.20
	b. From Untreated Source	6.10
2.	Covered Well	0.10
3.	Hand pump	5.30
4.	Tube Well	8.40
5.	Tank, Pond, Lake	1.20
6.	Other Sources	3.70
II. Availability		
1.	Within the Premises	78.40
2.	Near the Premises	15.40
3.	Away	6.20

Source: - Census of India, 2011, Houses, Household Amenities and Assets.

5. About 81.3% households of Delhi now have access to piped water supply. Water production during summer season is being maintained at 895 MLD per day consistently. Water is supplied to about 18 million population of Delhi through existing water supply network comprising of 14000 km long pipelines and more than 107 underground reservoirs (UGRs). Besides, total 407 new water tankers with stainless steel containers fitted with GPS have been engaged for improving the water tanker supply delivery system in the

city. Apart from 400 M.S hired tankers, 250 newly purchased SS tankers are being added to the existing fleet to supplement water supply in water deficit areas.

6. Water supply distribution network has been developed to cover both planned and unplanned areas. Water supply is made available to 1103 unauthorized colonies. Filter water supply is also provided to another 50 unauthorized colonies, covering a population of about 2 lakh people.

7. Water Requirement

- 7.1 Based on the norm of 60 Gallon Per Capita per Day (GPCD) as per Central Public Health and Environmental Engineering Organization (CPHEEO), Ministry of Urban Development, Government of India, the total requirement of water in March 2011 was 1020 MGD. The water requirement norms for various usages are presented in Statement 13.2.

Statement 13.2

DETAILS OF WATER REQUIREMENT NORMS - DJB

S. No	Details	Requirement of Water
1	Domestic	172 LPCD
2	Industrial, Commercial and Community requirement based on 45000 liters per hectare per day	47 LPCD
3	Fire protection based on 1% of the total demand	3 LPCD
4	Floating population and special uses like Hotels and Embassies	52 LPCD
	Total	274 LPCD (60 GPCD)

Source: - Delhi Jal Board

- 7.2 Master Plan of Delhi-2021 prepared by Delhi Development Authority proposed water requirement with the norm of 80 Gallon Per Capita Per Day (GPCD), out of which 50 GPCD is for domestic requirement and 30 GPCD for non-domestic purposes. The domestic water requirement of 50 GPCD comprises of 30 GPCD for potable needs and 20 GPCD for non-potable water.

Statement 13.3

WATER REQUIREMENT NORMS- AS PER MPD 2021

S. No	Norms	Quantum (GPCD)		Sources of Non-potable Water
		Potable	Non-potable	
1.	Domestic @50 GPCD	30	20	--
	Residential	30	20	Recycling & Permissible Ground Water Extraction at Community Level
2.	Non-domestic @30 GPCD	5	25	
	a. Irrigation, Horticulture, Recreational, Construction, Fire @ 6.65 LPCD	-	10	Recycling from Sewerage Treatment Plants (STPs) and Permissible Ground Water Extraction
	b. Public, Semi-Public , Industrial and Commercial	5	15	Recycling from Common Effluent Treatment Plants (CETPs)
	Total @ 80 GPCD	35	45	

Source: -Delhi Jal Board

- 7.3 The estimated total requirement of water in Delhi based on the norms of MPD 2021 will be around 1140 MGD based on the norm of 60 GPCD to meet the requirement of projected population of 190 lakhs upto 2017.

8. Water Supply Capacity

Statement 13.4

INSTALLED CAPACITY OF WATER TREATMENT PLANTS: 2006-2016

(As on 31st March 2016)


S. No.	Name of Plants	Capacity (MGD)										
		2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
1.	Chandrawal Water House No. I & II	90	90	90	90	90	90	90	90	90	90	90
2.	Wazirabad I,II & III	120	120	120	120	120	120	120	120	120	120	120
3.	Haiderpur	200	200	200	200	200	200	200	200	200	200	200
4.	North Shahdara (Bhagirathi)	100	100	100	100	100	100	100	100	100	100	100
5.	Bawana	--	--	--	20	20	20	20	20	20	20	20
6.	Nangloi	40	40	40	40	40	40	40	40	40	40	40
7.	Sonia Vihar	--	140	140	140	140	140	140	140	140	140	140
8.	Ranney Wells & Tube Wells	100	100	100	100	100	100	100	80	80	80	80
9.	Recycling of Water at Bhagirathi, Haiderpur & Wazirabad	--	--	--	--	37	37	37	45	45	45	45
10.	Commonwealth Games Village	--	--	--	--	--	1	1	1	1	1	1
11.	Okhla	--	--	--	--	--	--	--	--	20	20	20
12.	Dwarka	--	--	--	--	--	--	--	--	50	50	50
	Total	650	790	790	810	847	848	848	836	906	906	906

Source: - Delhi Jal Board

- 8.1 The installed treatment capacity of Water in Delhi during 2006-16 is depicted in Chart 13.1. The installed capacity of DJB has been augmented by 39% during last 10 years. The capacity, which was 650 MGD in 2006 has been increased to 906 in 2016.

Chart 13.1

INSTALLED TREATMENT CAPACITY OF WATER TREATMENT PLANTS DELHI- 2006-2016



8.2 Two new Water Treatment Plants constructed at Dwarka (50 MGD) and Okhla (20 MGD). Raw water for these two plants has been made available with the commissioning of the pucca parallel channel from Munak to Haiderpur. Further Bawana Water Treatment Plant (20 MGD) has been constructed but will be commissioned after availability of raw water..

9. Water Consumption

9.1 During 2013-14, DJB had the capacity of treating 835 MGD of water from all sources i.e river Yamuna, Bhakra Storage, Upper Ganga Canal and from underground water resources. The peak production capacity of DJB was 900 MGD in July 2016.

9.2 The information on water supplied and billed to various categories of consumers by Delhi Jal Board during 2014-15 and 2015-16 is presented in Statement 13.5.

Statement 13.5
CATEGORY-WISE WATER CONNECTIONS, SALES AND PERCENTAGE OF SALES

Sl. No	Category	Connections (in lakh)		Sales (MGD)		% of Sales	
		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16
1.	Domestic	19.91	21.88	354.90	415.45	91.02	91.89
2.	Commercial & Institutional	1.26	1.33				
3.	Supply to NDMC & MES	-	-	35.00	36.70	8.98	8.11
	DDA	-	-				
	Total	21.17	23.21	389.90	452.15	100.00	100.00

Source: - Delhi Jal Board

9.3 The information regarding water consumption in Delhi covering number of connections, domestic, commercial and industrial consumption is presented in Table 13.1.

10. Water Resources

The water supply treatment plants of Delhi Jal Board treated 833 MGD surface water and 80 MGD ground water as on March, 2016. The water resources of Delhi Jal Board are indicated in Statement 13.6

Statement 13.6
WATER RESOURCES OF DELHI JAL BOARD

(As on March 2016)

S. No	Resources	Quantity (MGD)
1	Yamuna River	375
2	Ganga River	240
3	Bhakra Storage	218
4	Ground Water/Ranney well/ Tube well	80
Total		913

Source: - Delhi Jal Board

11. Ground Water

- 11.1 The decreasing ground water level in Delhi has become a matter of serious concern. At some places in South and South West Delhi, the water level has gone 20-30 meter below the ground level. The quality of underground water is deteriorating in several places. It has been found to be unfit for human consumption. The salinity of ground water is increasing in South-West and North-West Delhi. In some areas of Shahdara and Kanjhawala, Nitrate content has been found to be more than 1000 mg/ liter. Fluoride and chemical concentrations, more than prescribed limits, have also been found in ground water at various locations in Delhi. To tackle these problems, the Central Ground Water Board has taken steps to regulate the number of tube-wells being commissioned in Delhi.
- 11.2 As on March 2016, Delhi Jal Board has 3961 functional Tube Wells and 14 Ranney Wells. The Flood plains downstream of Wazirabad and the area adjacent to Najafgarh Lake are being explored for extraction of water on sustainable basis. Pre-feasibility studies for ground water recharge through the abandoned Bhatti Mines and Canal system in the North Western region of Delhi have also been taken.
- 11.3 The deepening of old lakes and other water bodies, preserving and developing the forest area in Delhi, construction of check dams at Asola Wild Life Sanctuary and plantation of trees, are some of the steps being taken to improve ground water resources by custodian department.

12. Parallel Channel from Munak to Haiderpur

About 30-50 per cent of the raw water discharged from Tajewala Head works is lost through seepage during transit in the present water carrier system comprising of Western Yamuna Canal system and River Yamuna. To minimize the en-route losses, a parallel pucca channel has been constructed from Munak to Haiderpur by the Haryana Govt as a deposit work on behalf of Govt of Delhi. Commissioning of CLC has resulted in increased availability of water of Delhi within the existing releases at Munak and WTP at Dwarka and Bawana have been commissioned.

12.1. Reservoirs

Renuka Dam, Kishau Dam and Lakhwar Vyasi Dam are proposed to be constructed so that Delhi gets its share in Yamuna water as per Yamuna Water Sharing Agreement signed in May, 1994. The approved allocation of Yamuna water to each state is presented in Statement No. 13.7. About 275 MGD water will be available to Delhi from Renuka Dam. Delhi will also get 372 MGD water from Kishau reservoir and 135 MGD from Lakhwar Vyasi reservoir.

Statement 13.7

APPROVED ALLOCATION OF WATER FROM YAMUNA RIVER TO STATES

Sl. No.	States	Allocation (BCM)			Total(BCM)
		July to Oct.	Nov. to Feb	March to June	
1	Haryana	4.107	0.686	0.937	5.730
2	Uttar Pradesh	3.216	0.343	0.473	4.032
3	Rajasthan	0.963	0.070	0.086	1.119
4	Himachal Pradesh	0.190	0.108	0.080	0.378
5	Delhi	0.580 (Consumptive 1926+495 return flow) or 2421 cusec	0.068 (Consumptive 231+495 return flow) or 726 cusec	0.076 (Consumptive 255+495 return flow) or 750 cusec	0.724 (Consumptive 806+495 return flow) or 2350 cusec

Source: - Delhi Jal Board

Note: - BCM Billion Cubic Meter.

12.2 Present Status of Renuka Dam: The clearance under FCA(1980) is in advance stage with Ministry of Environment & Forest (MoEF), Gol. A meeting of forest Advisory Committee (FAC) was held on 18th July, 2014 to consider the Forest Clearance under FCA (1980) for Renuka Dam Project and all clarification were given by the respective state government.

13. Water Accounting and Auditing

13.1 Till now Delhi Jal Board was using old system for measuring the quantity of raw water available at water treatment plants and the quantity of treated water supplied by treatment plants for distribution. Similar, was the position at underground water tanks, reservoir and booster pumping stations. Due to this system, Delhi Jal Board was not able to assess exact amount of water distribution losses. To overcome this situation, Delhi Jal Board has started a comprehensive programme for installation of bulk meters at all water treatment plants. About 282 bulk meters have already been installed.

13.2 Delhi Jal Board has also decided to install bulk meters on all distribution mains, underground reservoirs and booster pumping stations for correct measurement of water supply from these points upto different localities / consumer points.

13.3 Complete and correct water supply accounting could not be maintained by Delhi Jal Board due to the following facts;

- As on 1st April 2016, there were 2.65 Lakh un-metered connections. (Table 13.1)

- Around 4.00 lakh meters were defective or non-functional.
- Fixing of maximum average of 20 KL/30 KL per month (as the case may be) for domestic consumers, if water meters are non-functional and till defective water meter is replaced.

13.4 Delhi Jal Board has streamlined its system for obtaining water meters for metering of unmetered supply of water. The existing system of supply of water meter along with sanction of water connection has been amended and now consumers can purchase water meters of approved specifications from the open market. The consumers having Delhi Jal Board's defective meters have been allowed to get the defective meter replaced with private water meter and have been given option either to get the refund of meter security or get the same adjusted towards water charges in future.

14. Water Tariff

14.1 The tariff is based on the principle of "use more pay more". At higher consumption levels, the tariff acts as a disincentive to consumer for excessive use of water or wastage of water. As against the Estimated of revenue collection of ` 1700.00 crore, ` 1615.83 crore has been collected up to March 2016 with collection efficiency of 89.77%.

14.2 DJB has provided Rain Water Harvesting in its 166 no installations. The Rain Water Harvesting Cell of DJB provides technical assistance to individuals/institutions for providing Rain Water Harvesting. DJB has provided the information regarding Rain Water Harvesting on its website for public facilitation.

14.3 As per DJB amended tariff Regulations (March 2016) rebate of 10% in the water bills is provided for having functional RWH system and non provision will make water bills increased by 1.5 times till functional RWH system is installed. These provisions are applicable for plots of 500 sqm and above.

14.4 Special subsidy in water charges has been allowed to resettlement colonies and rural areas where water charges are being recovered on assumed average of 10 KL. per per month per floor. Salient features of existing water tariff are as under:

- Existing water tariff has two parts. One is Service Charge and other Volumetric Water Consumption Charge applicable w.e.f. 1.12.2004 and 1.4.2005 respectively.
- 60 per cent of water consumption charges are recoverable towards Sewerage Maintenance Charge from such colonies / areas where sewerage services have been provided / maintained by the Delhi Jal Board.
- In case of bulk connection for a colony / group housing society serving a number of residential premises, water charges will be worked out as per residential unit-wise at the domestic rates applicable from time to time.

- 14.5 Water Tariff for Un-metered Connections in JJ Resettlement Colonies and Rural Areas: Water charges are applicable on assumed average of 10 KL. Per month per floor for unmetered water connection in JJ resettlement colonies. For Unmetered water connections in case of Rural areas assumed average 25 KL per month per connection is charged. Water consumption rates and service charge are levied slab-wise. Sewerage maintenance charge is also recoverable, if sewerage services are being managed by Delhi Jal Board. Besides above, water cess is recoverable from all consumers at the rates determined by the Central Government from time to time.
- 14.6 Presently Subsidy on Water: All domestic consumers of Delhi Jal Board consuming water up to 20 KL per month and having functional water meters are being given 100% subsidy and fully exempted from payment of water bill including all components namely, water charges, sewerage maintenance charge, service charges, meter rent (wherever applicable) and cess w.e.f 01.03.2015.

15. Rain Water Harvesting

- 15.1 DJB has provided Rain Water Harvesting in its 151 no. installations. DJB has provided financial assistance to the tune of ` 82 lakh for 172 cases in the institutional category for providing Rain Water Harvesting Systems. The Rain Water Harvesting Cell of DJB provides technical assistance to individuals for providing Rain Water Harvesting. DJB has provided the information regarding Rain Water Harvesting on its website **www.delhijalboard.nic.in** for public facilitation. 2 no. of NGOs have been engaged by DJB to create public awareness and promote community participation to implement Rain Water Harvesting.
- 15.2 The following provisions have been made in the Delhi Water & Sewer Tariff and Metering Regulations, July' 2012 for promoting Rain Water Harvesting:
- (A) Regulation 8(d) of Chapter II provides that for Category D consumers, the following rebate is given in tariff for provision of Rain Water Harvesting, Waste Water Recycling or both:-
- i) Such plot/properties which are having area of 2000 square meter or more and having installed functional rain water harvesting system or waste water recycling system, shall be granted rebate of 10% in the total bill amount and 15% if both the above systems have been set up and functional.
 - ii) If the Rain Water Harvesting system is adopted by a society then the individual member of that society will be entitled to above mentioned rebate in water bill.
 - iii) The area Zonal Engineer or such other suitable agency as authorized by the board will provide a functional certificate in respect of the above systems mentioning therein that substantive portion of the plot/ property

has been covered as far as Rain Water Harvesting is concerned. Similarly, he will certify that substantive quantity of the waste water generated has been recycled by the consumer. A certificate will be issued after every six months.

- (B) Regulation 50 of Chapter V provides that rainwater harvesting is mandatory
- (i) The consumer of the Board having a plot/property of size 500 sq. metre or more shall make provision for rain water harvesting covering the entire plot area, within one year, in case of commercial/industrial property and within three years for residential property from the date of coming into force of these regulations under intimation to the area ZRO.
 - (ii) In case, the consumer fails to comply the above provisions within the time limit the tariff as applicable for the consumer respective category will be increased by 1.5 times till the provision is installed.
 - (iii) Board has deferred the implementation of Rain Water Harvesting penalty upto 31.03.2017

16. Water Conservation

- 16.1 Delhi has a network of about 14000 Kilometers of water supply mains, of which, a significant portion is as old as 40 to 50 years and prone to higher leakage losses. Normally, water losses are calculated by water billed or consumed subtracted from the water produced. In the case of Delhi, water billed or consumed and leakage losses there from cannot be calculated exactly as a majority of houses do not have working meters. According to the estimates of Delhi Jal Board, the total distribution losses are of the order of 40 per cent of the total water supplied. These are quite high as compared to 10-20 per cent in the developing countries. The distribution losses include losses due to (a) leaking pipes and (b) theft of water through unauthorized connections.
- 16.2 Delhi Jal Board has taken several steps to minimize leakage losses. To address this problem, a leak detection and investigation (LDI) cell was set up. The Board has replaced about 1200-km length of the old, damaged and leaking water mains during the last five years. As a result of these initiatives, the Board expects to bring down the distribution losses to 20 per cent level in the near future.
- 16.3 Delhi Jal Board has formulated a programme for recycling of backwash water in four major water treatment plants at Haiderpur, Bhagirathi, Chandrawal and Wazirabad. The work for commissioning of recycling plant at Haiderpur, Bhagirathi, Wazirabad recycling plant has been completed. About 45 MGD water supplies will be available without any additional raw water from these four plants.

17. Sewage Treatment Capacity

17.1 Sewage treatment capacity of Delhi Jal Board increased from 402.40 MGD in 31st March 2001 to 607.26 MGD in 31st March 2016. The information regarding the sewerage treatment capacity and percentage of utilization is presented in Statement 13.8.

Statement 13.8

SEWERAGE TREATMENT CAPACITY AND ITS UTILIZATION

(MGD)

Sl. No	Name of Sewerage Treatment Plants (STPs)	Capacity		Actual Treatment as on 31.3.2016	% of Utilization
		31.3.2001	31.3.2016		
1.	Okhla	140.00	140.00	97.85	69.89
2.	Keshopur	72.00	72.00	67.56	93.83
3.	Coronation Pillar with Oxidation Ponds at Timarpur	46.00	30.00	19.50	65.00
4.	Rithala	40.00	80.00	64.49	81.86
5.	Kondli I, II, III, IV	45.00	70.00	58.80	84.00
6.	Yamuna Vihar I,II	10.00	35.00	14.09	44.00
7.	Vasant Kunj	5.00	5.20	4.47	89.00
8.	Ghitorni	5.00	5.00	0.00	0.00
9.	Pappankalan	20.00	40.00	32.58	81.00
10.	Narela	10.00	10.00	1.40	14.00
11.	Najafgarh	5.00	5.00	4.25	85.00
12.	Delhi Gate	2.20	17.20	20.51	119.00
13.	Sen Nursing Home	2.20	2.20	2.43	110.00
14.	Rohini	--	15.00	4.09	27.00
15.	Nilothi	--	60.00	38.88	65.00
16.	Mehrauli	--	5.00	3.53	71.00
17.	CWG Village	--	1.00	0.17	17.00
18.	Molarbad	--	0.66	0.54	82.00
19.	Kapeshera	--	5.00	2.02	40.00
20.	Chilla	--	9.00	9.78	109.00
	Total	402.40	607.26	446.94	74.00

Source: - Delhi Jal Board

- 16.2 It is evident from the above statement that the percentage of utilization of sewerage treatment plant in Delhi as on 31st March 2016 was 74 per cent. The sewerage treatment plants are not functioning up to their optimum level due to various reasons such as low flow of sewage to STPs, trunk and peripheral sewer lines still to be connected to these STPs, Rehabilitation of Silted and settled Truck Sewer Lines yet to be completed, etc. The sewage generation, at present, is estimated to be around 670 MGD = (840 water production x 0.8) and treatment is around 447 MGD only.
- 17.3 Delhi Jal Board has a network of branch, peripheral sewers of about 7700 kms. Also there is network of 200 kms of trunk sewers. The rehabilitation/ de-silting have been completed in a trunk sewer and is in progress in peripheral sewer.
- 17.4 The consultant for World Bank funded, "Delhi Water Supply & Sewerage Project" estimated 5259 MLD water supply requirement for Delhi in 2021 and waste water generation from this level of water supply will be about 3760 MLD. The information regarding the same is presented in Statement 13.9.

Statement 13.9

WATER SUPPLY REQUIREMENT AND WASTE WATER GENERATION ESTIMATED

S. No	Details	Volumes (Mld)				
		2004	2005	2006	2011	2021
1.	Total water demand	2685	3763	4090	5181	6272
2.	Total net water supply	2265	2362	2461	3573	5259
3.	Waste water generated	1812	3010	3272	4144	5017
4.	Treated at CETP	200	217	234	346	755
5.	Proportion not sewerred	14%	13%	13%	10%	5%
6.	Outside sewerred area	254	302	302	294	210
7.	Net generated waste water	1358	1722	1798	2218	3242
8.	Infiltration	518	518	518	518	518
9.	Gross Wastewater to treatment	1876	2240	2316	2736	3760

Source:- Delhi Jal Board

18. Expenditure Incurred on Water Supply and Sewerage Programmes

- 18.1 The expenditure incurred on water supply and sewerage programmes in Delhi during 2007-15 is presented in Statement 13.10.

Statement 13.10

EXPENDITURE INCURRED ON WATER SUPPLY AND SEWERAGE PROGRAMMES IN DELHI DURING 2007-2015

S. No	Details	Water Supply	Sewerage	Total
1.	Approved Outlay (2007-2012) (` Crore)	4361.50	3132.50	7494.00
2.	Fund Released (` Crore)			
	2007-08	962.01	383.96	1345.97
	2008-09	1015.17	441.73	1456.90
	2009-10	1080.35	568.55	1648.90
	2010-11	1080.14	527.93	1608.07
	2011-12	1033.02	528.02	1561.04
	Total (a+b+c+d+e)	5179.69	2450.19	7620.88
3.	Approved Outlay (2012-17) (` Crore)	6087	4913	11000
4.	Fund Released (` Crore)			
	a. 2012-13	964.97	752.40	1717.37
	b. 2013-14	796.77	753.23	1550.00
	c. 2014-15	854.50	934.50	1789.00
	d. 2015-16	646.50	1077.43	1723.93

18.2 It may be observed from Statement 13.10 that the released fund for water supply and sanitation to DJB increased from ` 1346 crore in 2007-08 to ` 1724 crore in 2015-16. thus the funding support to DJB by GNCTD was increased by 28.08 % during the last 9 years.

19. Re-use of Waste Water

19.1 The major reuse of treated waste water in and around the city is for irrigation, horticulture and industrial use. There is now demand for use of treated waste water for cooling in the power stations. Other options include ground water recharge, return to be raw water source, and the treatment and reuse of treated waste water, for flushing of toilets, i.e. use for non-potable purposes like washing of Railways, Buses, Construction industry.

19.2 Presently, Delhi Jal Board supply about 89 MGD of treated waste water to the Irrigation Department, Power Plants and for irrigation purposes by CPWD and in Rohini area by DDA & Flood Control and Irrigation Department. Efforts are being made to increase the treated waste water supply from 89 MGD to 210 MGD in subsequent years.

Treated water supply to various purposes in Delhi is presented in Statement 13.11.

Statement 13.11

TREATED WASTE WATER SUPPLY FOR VARIOUS PURPOSES

S. No.	Details	Units (MGD)
1.	Treated effluent supplied from Keshopur STP for Irrigation, horticulture purposed	5.5
2.	From Okhla STP to CPWD and Irrigation department for horticulture/ Irrigation purpose	37.00
3.	From Coronation Pillar STP for DDA Golf Course at Bhalswa, Gammon India for construction purposes. Minor Irrigation Department at Palla	19.02
4.	From Rithala STP to PPCL for their plant at Bawana and NDPL for their owner plant at Rohini, DDA & horticulture	6.15
5.	From Vasant Kunj to Sanjay Van	3.70
6.	From Mehrauli STP to Garden of Seven Senses	3.40
7.	From Delhi Gate and Sen Nursing Home STP to PPCL	4.80
8.	From Nilothi STP to Flood Control & Irrigation Deptt. for Irrigation purposes	0.50
9.	From Papankalan STP for Irrigation purposes to DDA	1.33
10.	From Commonwealth Games Village STP to DDA horticulture	0.18
11.	From Yamuna Vihar to STP's horticulture	3.0
12.	From Narela to Pvt. Agency for washing of vehicle	0.05
13.	From Najafgarh to WTP Dwarka for Horticulture	0.07
14.	From Chilla STP to Internal Horticulture of STP	1.00
15.	From Kondli STP to DDA, PPCL & Horticulture	3.0
	Total	89 MGD

Source: - Delhi Jal Board.

- 19.3 A number of small reuse projects are in the planning stages. Besides, Sewerage Treatment Plants of Delhi Jal Board, treated waste water is available from Common Effluent Treatment Plants in industrial areas being maintained by DSIIDC and Mini Sewerage Treatment Plants of Delhi Urban Shelter Improvement Board (DUSIB).
- 19.4 Major drains pollute Yamuna River for various reasons including due to over-flow of untreated sewage from unsewered areas. It has been decided to lay interceptor sewers for cleaning Yamuna River. Work has been started on laying of interceptor sewers along Najafgarh, Supplementary and Shahdara drains.

19.5 Delhi Development Authority is responsible for 4,451 hectares of open spaces, all of which are irrigated via tube wells. There are also irrigation open spaces of Delhi Municipal Corporations, Central Government properties, private parks and properties, road verges, sports stadiums etc. The information regarding the green areas being maintained by the various agencies is presented in Statement 13.12.

Statement 13.12

GREEN AREAS MAINTAINED BY VARIOUS AGENCIES

S. No	Agencies	Green Areas (in hectares)	% age
1.	New Delhi Municipal Council	445	2.17
2.	Municipal Corporations of Delhi	2,428	11.83
3.	Delhi Development Authority	4,451	21.69
4.	Central Public Works Department	2,200	10.71
5.	Forest Department	11,000	53.60
	Total	20,524	100.00


Source:- Delhi Jal Board

19.6 The green areas maintained by various agencies in Delhi are depicted in Chart 13.2.

Chart 13.2

GREEN AREAS MAINTAINED BY VARIOUS AGENCIES

(Hectares)



19.7 The colonies/category wise progress of sewerage system is given in statement 13.13.

Statement 13.13

COLONIES/CATEGORY WISE PROGRESS OF SEWAGE SYSTEM

S. No	Colonies / categories	Total no of colonies	Colonies with Sewerage System
1.	Unauthorised Regularised Colonies	567	541
2.	Urban Village	135	130
3.	Rural Villages	219	34
4.	Unauthorised Colonies	1639	239
5.	Resettlement Colonies	44	44